



SUSITNA-WATANA HYDRO

Clean, reliable energy for the next 100 years.

ALASKA ENERGY AUTHORITY

AEA11-022

13-1407-REP-030714

Appendix C

Short List Storm Analysis Data Used for PMP Development



SUSITNA-WATANA HYDRO

Clean, reliable energy for the next 100 years.

Report 14-07-REP – Appendix C v1.0

Susitna-Watana Hydroelectric Project Site-Specific Probable Maximum Precipitation Study Appendix C – Short List Storm Analyses

AEA11-022



Prepared for:
Alaska Energy Authority
813 West Northern Lights Blvd.
Anchorage, AK 99503

Prepared by:
**Applied Weather Associates,
LLC for MWH**
PO Box 175
Monument, CO 80132

May 2014

Disclaimer

This document was prepared for the exclusive use of AEA and MWH as part of the engineering studies for the Susitna-Watana Hydroelectric Project, FERC Project No. 14241, and contains information from MWH which may be confidential or proprietary. Any unauthorized use of the information contained herein is strictly prohibited and MWH shall not be liable for any use outside the intended and approved purpose.

Notice

This report was prepared by Applied Weather Associates, LLC (AWA). The results and conclusions in this report are based upon best professional judgment using currently available data. Therefore, neither AWA nor any person acting on behalf of AWA can: (a) make any warranty, expressed or implied, regarding future use of any information or method in this report, or (b) assume any future liability regarding use of any information or method contained in this report.

APPENDIX C:

SHORT STORM LIST STORM ANALYSES

Storm files were made for 13 SPAS DAD zones which comprised the short storm list (Table C.1). Applied Weather Associates (AWA) analyzed each of these storms to determine the storm representative SST for in-place maximization using the updated SST climatologies. Each storm was then transpositioned and adjusted using the OTF process as description in Section 7 and 8 of the report. The data used to analyze and develop the adjusted DAD table for each of these storms is included in this appendix so that a user is able to understand how each of the storms was adjusted and allow for the process to replicated/reproduced if required.


Table C.1. Alaska Short Storm List

Name	ST	Lat	Lon	Year	Mon	Day	Total Rainfall	Precipitation Source
DENALI NP	AK	63.038	-150.471	1955	8	22	13.75	SPAS 1272 Zone 1
MT SPURR	AK	61.346	-152.329	1958	7	25	6.62	SPAS 1273 Zone 1
LITTLE SUSITNA	AK	61.854	-149.229	1959	8	18	13.05	SPAS 1271 Zone 1
DENALI NP	AK	62.846	-150.513	1967	8	2	12.45	SPAS 1270 Zone 2
FAIRBANKS	AK	65.521	-147.329	1967	8	2	12.45	SPAS 1270 Zone 1
SUTTON	AK	61.904	-148.863	1971	8	5	11.39	SPAS 1269 Zone 1
BLACK RAPIDS	AK	63.471	-145.479	1971	8	5	12.17	SPAS 1269 Zone 2
MT GEIST	AK	63.638	-146.971	1980	7	24	5.26	SPAS 1268 Zone 2
DENALI NP	AK	62.954	-150.079	1980	7	24	7.33	SPAS 1268 Zone 1
DENALI NP	AK	62.829	-151.138	1986	10	8	11.01	SPAS 1267 Zone 1
SEWARD	AK	60.113	-149.513	1986	10	8	20.80	SPAS 1267 Zone 2
BLACK RAPIDS	AK	63.465	-145.685	2006	8	17	16.12	SPAS 1303 Zone 1
OLD TYONEK	AK	61.260	-151.860	2012	9	15	15.91	SPAS 1256 Zone 1

Denali NP, AK, SPAS 1272 Zone 1
August 22, 1955



Storm Name: SPAS 1272 Denali NP, DAD Zone 1		Storm Adjustment for Susitna-Watana								
Storm Date: 8/21-29/1955										
AWA Analysis Date: 2/19/2013										
Temporal Transposition Date 15-Aug										
	Lat	Long								
Storm center location	63.04 N	150.47 W								
Storm Rep SST location	53.00 N	152.00 W								
Transposition SST location	NA	NA								
Basin location	62.84 N	147.37 W								
		Moisture Inflow Direction: SSW @ 700	miles							
		Basin Elevation	3,650 feet							
		Storm Elevation	7,500 feet							
		Storm Duration	24 hours							
		Effective Barrier Height	1,483 feet							
The storm representative SST is 54.0 F		with total precipitable water above sea level of 1.02 inches.								
The in-place maximum SST is 57.0 F		with total precipitable water above sea level of 1.19 inches.								
The transpositioned maximum SST is NA		with total precipitable water above sea level of 4.44 inches.								
The in-place storm elevation is 7,500		which subtracts 0.67 inches of precipitable water at 54.0 F								
The in-place storm elevation is 7,500		which subtracts 0.76 inches of precipitable water at 57.0 F								
The transposition storm elevation at 3,650		which subtracts xx inches of precipitable water at NA								
The moisture inflow barrier height is 1,483		which subtracts xx inches of precipitable water at NA								
The in-place maximization factor is 1.23		Notes: Storm representative SST value was based on SST values for August 21-22, 1955 along HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area.								
The transposition/elevation factor is #VALUE!										
The barrier adjustment factor is #VALUE!										
The total adjustment factor is #VALUE!										
Observed Storm Depth-Area-Duration										
	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours
10 sq miles	1.3	2.2	2.8	3.6	6.1	7.9	9.7	12.2	13.1	13.4
100 sq miles	1.3	2.1	2.8	3.5	6.0	7.7	9.5	12.1	12.9	13.1
200 sq miles	1.2	2.0	2.7	3.4	5.8	7.4	9.2	11.7	12.4	12.7
500 sq miles	1.2	1.9	2.6	3.2	5.5	7.1	8.7	11.1	11.8	12.1
1000 sq miles	1.1	1.8	2.4	3.1	5.2	6.7	7.9	10.4	11.2	11.4
2000 sq miles	1.0	1.7	2.3	2.8	4.7	6.2	7.5	9.5	10.3	10.5
5000 sq miles	0.9	1.5	1.9	2.4	4.0	4.8	6.0	7.1	7.9	8.7
10000 sq miles	0.8	1.2	1.7	2.0	3.4	4.2	5.1	5.8	6.7	7.2
20000 sq miles	0.6	0.9	1.3	1.5	2.6	3.4	4.1	4.8	5.4	5.7
Adjusted Storm Depth-Area-Duration										
	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	60 Hours	72 Hours
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name		SPAS 1272 Denali NP, DAD Zone 1								
Storm Date(s)		8/21-29/1955								
Storm Type		Atmospheric River								
Storm Location		63.04 N 150.47 W								
Storm Center Elevation		7500								
Precipitation Total & Duration		13.75 inches in 168 hours -DAD Zone 1								
Storm Representative SST		54.0 F								
Storm Representative SST Location		53.00 N 152.00 W 15-Aug								
In-place Maximum SST		57.0 F 57								
Moisture Inflow Vector		SSW @ 700								
In-place Maximization Factor		1.23								
Temporal Transposition (Date)		15-Aug								
Transposition SST Location		NA NA								
Transposition Maximum SST		NA								
Transposition Adjustment Factor		#VALUE!								
Average Basin Elevation		3,650								
Highest Elevation in Basin		13,131								
Inflow Barrier Height		1,483								
Elevation Adjustment Factor		#VALUE!								
Total Adjustment Factor		#VALUE!								


SPAS 1272 Cordova, AK Storm Analysis
August 21 - 29, 1955



Storm 1272 - Aug. 21 (1000 UTC) - Aug. 28 (0900 UTC), 1955
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)


Area (mi ²)	Duration (hours)										
	1	6	12	24	36	48	72	96	120	144	168
0.2	0.71	1.32	2.18	2.94	3.63	6.27	8.14	9.92	12.48	13.42	13.67
1	0.66	1.29	2.15	2.83	3.55	6.09	7.92	9.68	12.16	13.12	13.35
10	0.66	1.29	2.15	2.83	3.55	6.09	7.92	9.68	12.16	13.12	13.35
25	0.66	1.29	2.15	2.83	3.55	6.09	7.92	9.68	12.16	13.12	13.35
50	0.66	1.29	2.14	2.83	3.55	6.09	7.92	9.68	12.16	13.12	13.35
100	0.66	1.27	2.1	2.82	3.46	5.95	7.7	9.5	12.06	12.85	13.14
150	0.66	1.25	2.07	2.78	3.44	5.9	7.67	9.39	11.86	12.71	12.94
200	0.66	1.24	2.04	2.74	3.35	5.76	7.44	9.19	11.7	12.44	12.73
300	0.65	1.21	2	2.69	3.32	5.68	7.39	9.02	11.45	12.25	12.49
400	0.64	1.19	1.94	2.65	3.22	5.6	7.15	8.66	11.23	11.95	12.22
500	0.63	1.18	1.92	2.61	3.2	5.51	7.11	8.65	11.07	11.83	12.07
1,000	0.6	1.11	1.82	2.43	3.05	5.15	6.74	7.86	10.42	11.15	11.36
2,000	0.58	1.04	1.69	2.29	2.82	4.73	6.18	7.45	9.51	10.29	10.48
5,000	0.58	0.92	1.48	1.93	2.37	4.04	4.84	6.03	7.14	7.85	8.72
10,000	0.57	0.79	1.23	1.66	1.95	3.4	4.23	5.05	5.82	6.65	7.22
20,000	0.52	0.59	0.92	1.3	1.5	2.57	3.41	4.07	4.8	5.4	5.71
50,000	0.23	0.35	0.57	0.68	0.8	1.59	2.1	2.54	3.17	3.49	3.82
100,000	0.14	0.24	0.39	0.49	0.56	0.89	1.15	1.41	2.04	2.44	2.56
116,206	0.05	0.21	0.34	0.42	0.49	0.75	1	1.37	1.62	1.87	1.95





Total Storm (192-hour) Precipitation (inches)
August 21-28, 1955
SPAS #1272

Precipitation (inches)



METSTAT, Inc. 02/28/2013

Mt. Spurr, AK, SPAS 1273 Zone 1
July 25, 1958

Storm Name:SPAS 1273-AK Storm 1 and 2, Zone 1

Storm Date:July 25 - August 5, 1958

AWA Analysis Date:3/4/2014

Storm Adjustment for Susitna-Watana

Temporal Transposition Date15-Aug

LatLong

Storm Center Location61.35 N152.33 W

Storm Rep SST Location50.00 N145.00 W

Transposition SST LocationNA NA

Basin Location* *

Moisture Inflow DirectionSSSE @ 830 miles

Basin Average ElevationNA feet

Storm Center Elevation9,200 feet

Storm Analysis Duration24 hours

Effective Barrier HeightN/A feet

The storm representative SST is56.0 Fwith total precipitable water above sea level of1.11 inches.

The in-place maximum SST is59.0 Fwith total precipitable water above sea level of1.31 inches.

The transpositioned maximum SST isNAwith total precipitable water above sea level of4.08 inches.

The in-place storm elevation is9,200feet which subtracts0.83 inches of precipitable water at56.0 F

The in-place storm elevation is9,200feet which subtracts0.97 inches of precipitable water at59.0 F

The transposition storm elevation atNAfeet which subtractsNA inches of precipitable water atNA

The moisture inflow barrier height isN/Afeet which subtractsNA inches of precipitable water atNA

The in-place maximization factor is1.21

The transposition factor is#VALUE!

The elevation barrier adjustment factor is#VALUE!

The total adjustment factor is#VALUE!

Notes: Storm representative SST value was based on SST values for July 26-August 2 along the surface HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and was as closest to the storm center.

Observed Storm Depth-Area-Duration

	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours	264 Hours	288 Hours
1 sq miles	0.5	1.8	2.4	2.7	2.7	3.1	3.3	4.0	4.9	5.3	6.0	6.1	6.1	6.4	6.5	6.5
10 sq miles	0.5	1.8	2.4	2.7	2.7	3.1	3.3	4.0	4.9	5.3	6.0	6.1	6.1	6.4	6.5	6.5
100 sq miles	0.4	1.8	2.4	2.7	2.7	3.1	3.2	3.7	4.6	5.0	5.7	5.8	5.8	6.0	6.4	6.4
200 sq miles	0.4	1.7	2.3	2.7	2.7	3.1	3.1	3.6	4.4	4.7	5.4	5.5	5.5	5.7	6.2	6.3
500 sq miles	0.4	1.7	2.2	2.6	2.6	3.0	3.0	3.3	4.0	4.3	4.9	5.1	5.2	5.4	5.9	6.0
1000 sq miles	0.4	1.6	2.2	2.6	2.6	2.9	2.9	3.1	3.7	3.9	4.4	4.8	4.9	5.2	5.7	5.7
2000 sq miles	0.3	1.5	2.1	2.4	2.4	2.8	2.8	2.9	3.3	3.6	4.2	4.5	4.7	4.9	5.4	5.5
5000 sq miles	0.3	1.3	1.8	2.1	2.1	2.4	2.5	2.7	3.0	3.3	3.7	4.1	4.1	4.5	4.9	4.9
10000 sq miles	0.3	1.1	1.6	1.8	1.8	2.1	2.3	2.5	2.6	2.9	3.3	3.6	3.7	4.0	4.4	4.4
20000 sq miles	0.2	0.8	1.4	1.6	1.6	1.8	2.0	2.2	2.4	2.6	3.0	3.2	3.4	3.5	3.8	3.9

Adjusted Storm Depth-Area-Duration

	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours	264 Hours	288 Hours
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!

Storm or Storm Center NameSPAS 1273-AK Storm 1 and 2, Zone 1

Storm Date(s)July 25 - August 5, 1958

Storm TypeSeries of low pressure systems

Storm Location61.35 N 152.33 W

Storm Center Elevation9,200

Precipitation Total & Duration (10 sq mi)6.62 inches at 288 hours

Storm Representative SST56.0 F

Storm Representative SST Location50.00 N 145.00 W

Maximum SST59.0 F

Moisture Inflow VectorSSE @ 830

In-place Maximization Factor1.21

Temporal Transposition (Date)15-Aug

Transposition SST LocationNA NA

Transposition Maximum SSTNA

Transposition Adjustment Factor#VALUE!

Average Basin ElevationNA


Highest Elevation in BasinNA

Inflow Barrier HeightN/A

Elevation Adjustment Factor#VALUE!



Total Adjustment Factor#VALUE!


SPAS 1273 South-central AK Storm Analysis
July 26 - August 2, 1958



Storm 1273 - Jul. 25 (1000 UTC) - Aug. 6 (0900 UTC), 1958
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)


Area (mi ²)	Duration (hours)																Total
	1	6	12	18	24	48	72	96	120	144	168	192	216	240	264	288	
0.2	0.45	1.84	2.41	2.81	2.81	3.23	3.44	4.07	5.02	5.4	6.18	6.28	6.29	6.52	6.62	6.62	6.62
1	0.45	1.81	2.35	2.7	2.7	3.12	3.34	3.97	4.87	5.27	6.02	6.12	6.13	6.35	6.46	6.46	6.46
10	0.45	1.81	2.35	2.7	2.7	3.12	3.34	3.97	4.87	5.27	6.02	6.12	6.13	6.35	6.46	6.46	6.46
25	0.45	1.81	2.35	2.7	2.7	3.12	3.34	3.97	4.87	5.27	6.02	6.12	6.13	6.35	6.46	6.46	6.46
50	0.44	1.8	2.35	2.7	2.7	3.12	3.26	3.88	4.75	5.15	5.89	5.98	5.99	6.21	6.46	6.46	6.46
100	0.43	1.77	2.35	2.7	2.7	3.12	3.16	3.74	4.62	4.96	5.67	5.77	5.78	5.97	6.35	6.42	6.42
150	0.43	1.74	2.34	2.7	2.7	3.12	3.14	3.61	4.51	4.82	5.51	5.61	5.61	5.74	6.3	6.34	6.34
200	0.42	1.73	2.33	2.7	2.7	3.11	3.12	3.57	4.42	4.74	5.4	5.45	5.5	5.7	6.21	6.26	6.26
300	0.41	1.71	2.3	2.68	2.69	3.08	3.09	3.43	4.25	4.58	5.21	5.29	5.43	5.52	6.04	6.15	6.15
400	0.41	1.69	2.27	2.66	2.66	3.05	3.06	3.38	4.14	4.44	5.05	5.2	5.2	5.46	6.03	6.05	6.05
500	0.4	1.67	2.22	2.63	2.64	3	3.03	3.28	4.03	4.31	4.9	5.14	5.17	5.38	5.88	5.98	5.98
1,000	0.38	1.6	2.18	2.55	2.55	2.91	2.92	3.08	3.68	3.85	4.42	4.84	4.94	5.22	5.68	5.73	5.73
2,000	0.34	1.51	2.08	2.42	2.43	2.78	2.8	2.91	3.32	3.62	4.19	4.52	4.67	4.86	5.35	5.45	5.45
5,000	0.31	1.33	1.83	2.09	2.11	2.41	2.49	2.7	3	3.27	3.73	4.06	4.11	4.47	4.89	4.89	4.89
10,000	0.26	1.06	1.57	1.82	1.82	2.08	2.3	2.49	2.63	2.86	3.31	3.62	3.69	4.01	4.37	4.38	4.38
20,000	0.2	0.84	1.37	1.59	1.6	1.83	2.02	2.16	2.37	2.6	3.02	3.21	3.41	3.53	3.82	3.87	3.87
50,000	0.13	0.54	0.95	1.15	1.17	1.41	1.59	1.82	1.96	2.21	2.46	2.61	2.62	2.9	2.98	3.1	3.10
100,000	0.08	0.27	0.56	0.66	0.67	0.98	1.25	1.44	1.59	1.77	1.94	2.06	2.15	2.3	2.38	2.44	2.44
132,242	0.05	0.24	0.43	0.55	0.64	0.81	1.02	1.26	1.43	1.58	1.74	1.86	1.91	1.99	2.09	2.09	2.09





Total 288-hours Precipitation (inches)
SPAS #1273
July 25 1000 UTC - August 6 0900 UTC, 1958

Precipitation (inches)





METSTAT, Inc. 04/24/2013


Little Susitna, AK, SPAS 1271 Zone 1
August 18, 1959

Storm Name:	Little Susitna-SPAS 1271 Zone 1		Storm Adjustment for Susitna-Watana										
Storm Date:	8/18-26/1959												
AWA Analysis Date:	3/28/2013												
Temporal Transposition Date	15-Aug												
	Lat	Long											
Storm center location	61.85 N	149.23 W											
Storm Rep SST location	52.00 N	154.00 W											
Transposition SST location	NA	NA											
Basin location	42.76 N	74.12 W											
			Moisture Inflow Direction:	SSW @ 700		miles							
			Basin Elevation	NA		feet							
			Storm Elevation	5,150		feet							
			Storm Duration	24		hours							
			Effective Barrier Height	NA		feet							
The storm representative SST is			52.0 F	with total precipitable water above sea level of				0.92		inches.			
The in-place maximum SST is			56.0 F	with total precipitable water above sea level of				1.13		inches.			
The transpositioned maximum SST is			NA	with total precipitable water above sea level of				4.44		inches.			
The in-place storm elevation is			5,150	which subtracts		0.48	inches of precipitable water at		52.0 F				
The in-place storm elevation is			5,150	which subtracts		0.56	inches of precipitable water at		56.0 F				
The transposition storm elevation at			NA	which subtracts		xx	inches of precipitable water at		NA				
The moisture inflow barrier height is			NA	which subtracts		xx	inches of precipitable water at		NA				
The in-place maximization factor is			1.30										
The transposition/ elevation factor is			#VALUE!										
The barrier adjustment factor is			#VALUE!										
The total adjustment factor is			#VALUE!										
Notes: Storm representative SST value was based on SST values for August 21-22, 1959 along the HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and had temperature recordings throughout the period.													
Observed Storm Depth-Area-Duration													
	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours		
10 sq miles	3.8	5.2	7.2	8.8	9.6	10.3	10.5	11.3	11.5	12.7	12.7		
100 sq miles	3.5	4.8	6.8	8.3	9.0	9.8	10.0	10.8	10.9	12.2	12.3		
200 sq miles	3.2	4.4	6.4	7.7	8.4	9.3	9.4	10.1	10.4	11.4	11.8		
500 sq miles	2.5	3.8	5.7	6.4	7.6	8.4	8.6	9.0	9.6	10.6	10.8		
1000 sq miles	2.5	3.3	5.1	6.3	7.0	7.7	7.9	8.3	8.9	9.7	9.9		
2000 sq miles	2.0	2.9	4.4	5.2	6.0	6.8	6.9	7.2	7.9	8.8	8.9		
5000 sq miles	1.5	2.0	3.3	3.9	4.6	5.2	5.3	5.7	6.1	7.2	7.2		
10000 sq miles	1.1	1.3	1.9	2.9	3.1	3.9	4.0	4.3	4.4	5.8	5.9		
20000 sq miles	0.6	1.0	1.6	2.1	2.5	2.5	2.5	2.5	3.8	4.4	4.4		
Adjusted Storm Depth-Area-Duration													
	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours		
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!		
Storm or Storm Center Name	Little Susitna-SPAS 1271 Zone 1												
Storm Date(s)	8/18-26/1959												
Storm Type	Series of Low Pressure Systems and Associated Storms												
Storm Location	61.85 N 149.23 W												
Storm Center Elevation	5150												
Precipitation Total & Duration	13.06 inches in 192 hours												
Storm Representative SST	52.0 F 15-Aug 15-Sep												
Storm Representative SST Location	52.00 N 154.00 W 56 55.5												
In-place Maximum SST	56.0 F												
Moisture Inflow Vector	SSW @ 700												
In-place Maximization Factor	1.30												
Temporal Transposition (Date)	15-Aug												
Transposition SST Location	NA NA												
Transposition Maximum SST	NA												
Transposition Adjustment Factor	#VALUE!												
Average Basin Elevation	NA												
Highest Elevation in Basin	NA												
Inflow Barrier Height	NA												
Elevation Adjustment Factor	#VALUE!												
Total Adjustment Factor	#VALUE!												

Map of the North Pacific showing the storm track of Typhoon Erika. The map includes latitude and longitude coordinates from 44°N to 70°N and 176°W to 134°W. A color-coded intensity scale is shown in the top right, ranging from 0 to 150 knots. The storm's path is marked by a series of colored dots: red for surface data, blue for 850mb data, and green for 700mb data. A box labeled "Storm Center -149.2, 61.9" indicates the peak intensity. The map also shows the coastline of North America and the Gulf of Alaska. A scale bar at the bottom indicates distances in miles (0, 495, 990, 1,980).



	Duration (hours)														
Area (mi²)	1	3	6	12	18	24	36	48	72	96	120	144	168	192	Total
0.2	1.19	2.44	3.84	5.33	6.7	7.41	9.04	9.86	10.59	10.74	11.58	11.86	13.03	13.06	13.06
1	1.17	2.38	3.76	5.19	6.51	7.23	8.78	9.61	10.29	10.47	11.25	11.53	12.65	12.71	12.71
10	1.17	2.38	3.76	5.19	6.51	7.23	8.78	9.61	10.29	10.47	11.25	11.53	12.65	12.71	12.71
25	1.15	2.37	3.73	5.08	6.51	7.2	8.78	9.59	10.29	10.47	11.25	11.53	12.65	12.71	12.71
50	1.12	2.31	3.63	4.94	6.34	7.03	8.57	9.4	10.14	10.28	11.13	11.44	12.59	12.62	12.62
100	1.07	2.21	3.47	4.75	6.11	6.78	8.27	9.03	9.81	9.95	10.79	10.9	12.24	12.27	12.27
150	1.03	2.13	3.35	4.59	5.92	6.56	7.99	8.74	9.5	9.67	10.17	10.4	11.92	11.96	11.96
200	1	2.06	3.23	4.37	5.73	6.35	7.69	8.42	9.29	9.41	10.14	10.38	11.43	11.76	11.76
300	0.96	1.95	3.08	4.13	5.46	5.98	7.4	8.04	8.93	9.1	9.88	10.27	11.26	11.38	11.38
400	0.91	1.87	2.95	3.9	5.23	5.88	7.14	7.93	8.64	8.81	9.32	9.59	11.04	11.07	11.07
500	0.88	1.8	2.51	3.83	4.9	5.65	6.4	7.6	8.4	8.56	8.95	9.55	10.55	10.82	10.82
1,000	0.79	1.63	2.45	3.32	4.48	5.13	6.29	6.97	7.66	7.85	8.26	8.91	9.73	9.94	9.94
2,000	0.67	1.39	1.95	2.88	3.9	4.44	5.23	6.04	6.75	6.91	7.24	7.87	8.79	8.94	8.94
5,000	0.38	0.97	1.46	1.98	2.93	3.26	3.9	4.62	5.15	5.34	5.68	6.06	7.18	7.21	7.21
10,000	0.26	0.64	1.05	1.32	1.69	1.89	2.91	3.1	3.9	4.03	4.32	4.39	5.8	5.9	5.90
20,000	0.17	0.37	0.62	0.96	1.32	1.62	2.06	2.47	2.47	2.48	2.48	3.83	4.37	4.44	4.44
50,000	0.08	0.22	0.38	0.7	0.87	0.97	1.08	1.22	1.42	1.48	1.89	2.54	3.17	3.18	3.18
100,000	0.06	0.11	0.22	0.4	0.54	0.57	0.68	0.81	0.94	1.01	1.24	1.81	2.17	2.19	2.19
132,207	0.04	0.1	0.19	0.33	0.44	0.52	0.61	0.74	0.85	0.91	1.04	1.45	1.67	1.69	1.69





Total 192-hour Precipitation (inches)
08/18/1959 - 08/25/1959
SPAS #1271

Precipitation (inches)




METSTAT, Inc. 03/28/2013

Denali NP, AK, SPAS 1270 Zone 2
August 2, 1967



Storm Name: SPAS 1270-Fairbanks-DAD Zone 2		Storm Adjustment for Susitna-Watana																																																																					
Storm Date: 8/2-17/1967																																																																							
AWA Analysis Date: 2/4/2013																																																																							
Temporal Transposition Date 15-Aug																																																																							
<table border="1"> <tr> <td></td> <td>Lat</td> <td>Long</td> </tr> <tr> <td>Storm center location</td> <td>62.84 N</td> <td>150.51 W</td> </tr> <tr> <td>Storm Rep SST location</td> <td>45.00 N</td> <td>149.00 W</td> </tr> <tr> <td>Transposition SST location</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Basin location</td> <td>62.84 N</td> <td>147.37 W</td> </tr> </table>			Lat	Long	Storm center location	62.84 N	150.51 W	Storm Rep SST location	45.00 N	149.00 W	Transposition SST location	NA	NA	Basin location	62.84 N	147.37 W	<table border="1"> <tr> <td>Moisture Inflow Direction:</td> <td>SSE @ 910</td> <td>miles</td> </tr> <tr> <td>Basin Elevation</td> <td>3,650</td> <td>feet</td> </tr> <tr> <td>Storm Elevation</td> <td>5,080</td> <td>feet</td> </tr> <tr> <td>Storm Duration</td> <td>24</td> <td>hours</td> </tr> <tr> <td>Effective Barrier Height</td> <td>1,483</td> <td>feet</td> </tr> </table>		Moisture Inflow Direction:	SSE @ 910	miles	Basin Elevation	3,650	feet	Storm Elevation	5,080	feet	Storm Duration	24	hours	Effective Barrier Height	1,483	feet																																						
	Lat	Long																																																																					
Storm center location	62.84 N	150.51 W																																																																					
Storm Rep SST location	45.00 N	149.00 W																																																																					
Transposition SST location	NA	NA																																																																					
Basin location	62.84 N	147.37 W																																																																					
Moisture Inflow Direction:	SSE @ 910	miles																																																																					
Basin Elevation	3,650	feet																																																																					
Storm Elevation	5,080	feet																																																																					
Storm Duration	24	hours																																																																					
Effective Barrier Height	1,483	feet																																																																					
<table border="1"> <tr> <td>The storm representative SST is</td> <td>61.0 F</td> <td>with total precipitable water above sea level of</td> <td>1.45</td> <td>inches.</td> </tr> <tr> <td>The in-place maximum SST is</td> <td>62.5 F</td> <td>with total precipitable water above sea level of</td> <td>1.56</td> <td>inches.</td> </tr> <tr> <td>The transpositioned maximum SST is</td> <td>NA</td> <td>with total precipitable water above sea level of</td> <td>4.44</td> <td>inches.</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>5,080</td> <td>which subtracts 0.66</td> <td>inches of precipitable water at</td> <td>61.0 F</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>5,080</td> <td>which subtracts 0.70</td> <td>inches of precipitable water at</td> <td>62.5 F</td> </tr> <tr> <td>The transposition storm elevation at</td> <td>3,650</td> <td>which subtracts xx</td> <td>inches of precipitable water at</td> <td>NA</td> </tr> <tr> <td>The moisture inflow barrier height is</td> <td>1,483</td> <td>which subtracts xx</td> <td>inches of precipitable water at</td> <td>NA</td> </tr> </table>				The storm representative SST is	61.0 F	with total precipitable water above sea level of	1.45	inches.	The in-place maximum SST is	62.5 F	with total precipitable water above sea level of	1.56	inches.	The transpositioned maximum SST is	NA	with total precipitable water above sea level of	4.44	inches.	The in-place storm elevation is	5,080	which subtracts 0.66	inches of precipitable water at	61.0 F	The in-place storm elevation is	5,080	which subtracts 0.70	inches of precipitable water at	62.5 F	The transposition storm elevation at	3,650	which subtracts xx	inches of precipitable water at	NA	The moisture inflow barrier height is	1,483	which subtracts xx	inches of precipitable water at	NA																																	
The storm representative SST is	61.0 F	with total precipitable water above sea level of	1.45	inches.																																																																			
The in-place maximum SST is	62.5 F	with total precipitable water above sea level of	1.56	inches.																																																																			
The transpositioned maximum SST is	NA	with total precipitable water above sea level of	4.44	inches.																																																																			
The in-place storm elevation is	5,080	which subtracts 0.66	inches of precipitable water at	61.0 F																																																																			
The in-place storm elevation is	5,080	which subtracts 0.70	inches of precipitable water at	62.5 F																																																																			
The transposition storm elevation at	3,650	which subtracts xx	inches of precipitable water at	NA																																																																			
The moisture inflow barrier height is	1,483	which subtracts xx	inches of precipitable water at	NA																																																																			
<table border="1"> <tr> <td>The in-place maximization factor is</td> <td>1.09</td> </tr> <tr> <td>The transposition/ elevation factor is</td> <td>#VALUE!</td> </tr> <tr> <td>The barrier adjustment factor is</td> <td>#VALUE!</td> </tr> <tr> <td>The total adjustment factor is</td> <td>#VALUE!</td> </tr> </table>		The in-place maximization factor is	1.09	The transposition/ elevation factor is	#VALUE!	The barrier adjustment factor is	#VALUE!	The total adjustment factor is	#VALUE!	Notes: Storm representative SST value was based on SST values for August 7-12, 1967 along the surface HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and had temperature recordings throughout the period.																																																													
The in-place maximization factor is	1.09																																																																						
The transposition/ elevation factor is	#VALUE!																																																																						
The barrier adjustment factor is	#VALUE!																																																																						
The total adjustment factor is	#VALUE!																																																																						
Observed Storm Depth-Area-Duration																																																																							
	6 Hours	12 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours																																																											
10 sq miles	1.6	2.2	2.9	4.5	6.4	7.6	8.5	9.5	10.6	11.4	12.0	12.1																																																											
100 sq miles	1.6	2.1	2.8	4.4	6.2	7.4	8.2	9.1	10.2	11.0	11.6	11.8																																																											
200 sq miles	1.5	2.0	2.7	4.3	6.1	7.2	8.0	8.9	10.0	10.7	11.4	11.5																																																											
500 sq miles	1.4	1.9	2.5	4.0	5.7	6.6	7.5	8.3	9.3	10.1	10.5	10.8																																																											
1000 sq miles	1.3	1.8	2.4	3.8	5.3	6.3	7.0	7.8	8.8	9.4	9.9	10.1																																																											
2000 sq miles	1.1	1.6	2.2	3.5	4.9	5.8	6.4	7.2	8.0	8.6	9.1	9.3																																																											
5000 sq miles	0.9	1.3	1.8	2.9	3.8	4.7	5.2	5.7	6.5	7.0	7.5	7.6																																																											
10000 sq miles	0.7	1.0	1.5	2.4	3.0	3.8	4.2	4.6	5.2	5.4	6.0	6.1																																																											
20000 sq miles	0.5	0.7	1.0	1.7	2.2	2.7	3.1	3.4	3.8	4.1	4.4	4.4																																																											
Adjusted Storm Depth-Area-Duration																																																																							
	6 Hours	12 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours																																																											
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																											
<table border="1"> <tr> <td>Storm or Storm Center Name</td> <td colspan="2">SPAS 1270-Fairbanks-DAD Zone 2</td> </tr> <tr> <td>Storm Date(s)</td> <td colspan="2">8/2-17/1967</td> </tr> <tr> <td>Storm Type</td> <td colspan="2">Storms and Atmospheric River Episodes</td> </tr> <tr> <td>Storm Location</td> <td>62.84 N</td> <td>150.51 W</td> </tr> <tr> <td>Storm Center Elevation</td> <td colspan="2">5080</td> </tr> <tr> <td>Precipitation Total & Duration</td> <td colspan="2">6.4 inches in 72 hours</td> </tr> <tr> <td>Storm Representative SST</td> <td>61.0 F</td> <td></td> </tr> <tr> <td>Storm Representative SST Location</td> <td>45.00 N</td> <td>149.00 W</td> </tr> <tr> <td>In-place Maximum SST</td> <td>62.5 F</td> <td>15-Aug</td> </tr> <tr> <td>Moisture Inflow Vector</td> <td colspan="2">SSE @ 910</td> </tr> <tr> <td>In-place Maximization Factor</td> <td colspan="2">1.09</td> </tr> <tr> <td>Temporal Transposition (Date)</td> <td colspan="2">15-Aug</td> </tr> <tr> <td>Transposition SST Location</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Transposition Maximum SST</td> <td colspan="2">NA</td> </tr> <tr> <td>Transposition Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> <tr> <td>Average Basin Elevation</td> <td colspan="2">3,650</td> </tr> <tr> <td>Highest Elevation in Basin</td> <td colspan="2">13,131</td> </tr> <tr> <td>Inflow Barrier Height</td> <td colspan="2">1,483</td> </tr> <tr> <td>Elevation Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> <tr> <td>Total Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> </table>												Storm or Storm Center Name	SPAS 1270-Fairbanks-DAD Zone 2		Storm Date(s)	8/2-17/1967		Storm Type	Storms and Atmospheric River Episodes		Storm Location	62.84 N	150.51 W	Storm Center Elevation	5080		Precipitation Total & Duration	6.4 inches in 72 hours		Storm Representative SST	61.0 F		Storm Representative SST Location	45.00 N	149.00 W	In-place Maximum SST	62.5 F	15-Aug	Moisture Inflow Vector	SSE @ 910		In-place Maximization Factor	1.09		Temporal Transposition (Date)	15-Aug		Transposition SST Location	NA	NA	Transposition Maximum SST	NA		Transposition Adjustment Factor	#VALUE!		Average Basin Elevation	3,650		Highest Elevation in Basin	13,131		Inflow Barrier Height	1,483		Elevation Adjustment Factor	#VALUE!		Total Adjustment Factor	#VALUE!	
Storm or Storm Center Name	SPAS 1270-Fairbanks-DAD Zone 2																																																																						
Storm Date(s)	8/2-17/1967																																																																						
Storm Type	Storms and Atmospheric River Episodes																																																																						
Storm Location	62.84 N	150.51 W																																																																					
Storm Center Elevation	5080																																																																						
Precipitation Total & Duration	6.4 inches in 72 hours																																																																						
Storm Representative SST	61.0 F																																																																						
Storm Representative SST Location	45.00 N	149.00 W																																																																					
In-place Maximum SST	62.5 F	15-Aug																																																																					
Moisture Inflow Vector	SSE @ 910																																																																						
In-place Maximization Factor	1.09																																																																						
Temporal Transposition (Date)	15-Aug																																																																						
Transposition SST Location	NA	NA																																																																					
Transposition Maximum SST	NA																																																																						
Transposition Adjustment Factor	#VALUE!																																																																						
Average Basin Elevation	3,650																																																																						
Highest Elevation in Basin	13,131																																																																						
Inflow Barrier Height	1,483																																																																						
Elevation Adjustment Factor	#VALUE!																																																																						
Total Adjustment Factor	#VALUE!																																																																						


SPAS 1270 Fairbanks, AK Storm Analysis
August 11 - 16, 1967



Storm 1270 - Aug. 8 (1000 UTC) - Aug. 18 (0900 UTC), 1967
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)



Area (mi ²)	Duration (hours)												
	1	6	12	24	48	72	96	120	144	168	192	216	240
0.2	0.45	1.66	2.24	2.95	4.67	6.59	7.91	8.78	9.74	10.91	11.75	12.36	12.45
1	0.43	1.62	2.16	2.89	4.5	6.43	7.63	8.49	9.47	10.63	11.4	12.04	12.05
10	0.43	1.62	2.16	2.89	4.5	6.43	7.63	8.49	9.47	10.63	11.4	12.04	12.05
25	0.43	1.61	2.16	2.87	4.5	6.4	7.63	8.49	9.47	10.57	11.4	12.01	12.05
50	0.43	1.6	2.14	2.82	4.49	6.31	7.39	8.27	9.12	10.2	11.15	11.61	11.98
100	0.43	1.56	2.11	2.79	4.39	6.23	7.37	8.22	9.11	10.2	11.04	11.58	11.8
150	0.42	1.54	2.07	2.75	4.37	6.13	7.35	8.17	9.09	10.15	10.92	11.52	11.62
200	0.42	1.52	2.04	2.71	4.27	6.07	7.16	7.99	8.9	9.99	10.74	11.39	11.49
300	0.4	1.48	2	2.65	4.18	5.92	6.96	7.77	8.59	9.75	10.47	11.13	11.23
400	0.4	1.45	1.96	2.61	4.13	5.81	6.94	7.72	8.59	9.61	10.34	10.91	11.00
500	0.39	1.43	1.92	2.54	4	5.69	6.64	7.49	8.29	9.27	10.08	10.52	10.8
1,000	0.36	1.33	1.8	2.39	3.77	5.31	6.32	7.04	7.78	8.77	9.43	9.93	10.06
2,000	0.31	1.13	1.63	2.24	3.53	4.86	5.78	6.42	7.21	7.99	8.61	9.08	9.25
5,000	0.2	0.92	1.31	1.84	2.9	3.78	4.71	5.24	5.72	6.48	7.02	7.51	7.59
10,000	0.15	0.69	1.03	1.45	2.42	3	3.78	4.2	4.64	5.16	5.42	5.95	6.07
20,000	0.1	0.45	0.73	1.01	1.74	2.23	2.73	3.08	3.41	3.83	4.09	4.39	4.43
21,152	0	0	0	0.98	1.69	2.16	2.63	2.96	3.3	3.68	3.94	4.22	4.25





Total Storm (240-hr) Precipitation (inches)
August 8-17, 1967 - "The Great Fairbanks Flood"
SPAS #1270

Precipitation (inches)




METSTAT, Inc. 02/04/2013

Fairbanks, AK, SPAS 1270 Zone 1
August 2, 1967



Storm Name: SPAS 1270-Fairbanks-DAD Zone 1		Storm Adjustment for Alaska										
Storm Date: 8/2-17/1967												
AWA Analysis Date: 2/4/2013												
Temporal Transposition Date 15-Aug												
	Lat Long											
Storm center location	65.52 N 147.33 W	Moisture Inflow Direction: S @ 1,420 miles										
Storm Rep SST location	45.00 N 149.00 W	Basin Elevation 3,650 feet										
Transposition SST location	34.45 N 71.97 W	Storm Elevation 7,600 feet										
Basin location	62.84 N 147.37 W	Storm Duration 24 hours										
		Effective Barrier Height 1,483 feet										
The storm representative SST is 61.0 F		with total precipitable water above sea level of 1.45 inches.										
The in-place maximum SST is 62.5 F		with total precipitable water above sea level of 1.56 inches.										
The transpositioned maximum SST is 83.0 F		with total precipitable water above sea level of 4.06 inches.										
The in-place storm elevation is 7,600		which subtracts 0.80 inches of precipitable water at 61.0 F										
The in-place storm elevation is 7,600		which subtracts 0.83 inches of precipitable water at 62.5 F										
The transposition storm elevation at 3,650		which subtracts xx inches of precipitable water at 83.0 F										
The moisture inflow barrier height is 1,483		which subtracts xx inches of precipitable water at 83.0 F										
The in-place maximization factor is 1.12		Notes: Storm representative SST value was based on SST values for August 7-12, 1967 along the surface HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and had temperature recordings throughout the period.										
The transposition/elevation factor is #VALUE!												
The barrier adjustment factor is #VALUE!												
The total adjustment factor is #VALUE!												
Observed Storm Depth-Area-Duration												
	6 Hours	12 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours
10 sq miles	2.0	3.3	5.2	7.3	8.3	8.8	9.4	9.9	10.2	10.2	10.3	10.3
100 sq miles	1.9	3.2	5.1	7.2	8.2	8.6	9.4	9.8	9.9	10.0	10.2	10.3
200 sq miles	1.9	3.1	4.9	7.0	8.0	8.5	9.1	9.6	9.8	9.9	10.1	10.1
500 sq miles	1.8	2.9	4.7	6.5	7.6	8.2	8.8	9.3	9.5	9.5	9.7	9.8
1000 sq miles	1.7	2.8	4.5	6.4	7.4	7.8	8.4	9.0	9.1	9.2	9.4	9.5
2000 sq miles	1.6	2.6	4.3	6.1	7.1	7.5	7.9	8.6	8.7	9.0	9.1	9.2
5000 sq miles	1.5	2.4	3.9	5.7	6.3	7.1	7.4	7.9	8.2	8.3	8.5	8.6
10000 sq miles	1.3	2.2	3.6	5.0	6.0	6.5	6.8	7.4	7.6	7.8	8.0	8.0
20000 sq miles	1.1	1.9	3.0	4.3	5.1	5.6	6.1	6.5	6.9	7.0	7.1	7.2
Adjusted Storm Depth-Area-Duration												
	6 Hours	12 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours	216 Hours	240 Hours
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name SPAS 1270-Fairbanks-DAD Zone 1												
Storm Date(s) 8/2-17/1967												
Storm Type Storms and Atmospheric River Episodes												
Storm Location 65.52 N 147.33 W												
Storm Center Elevation 7600												
Precipitation Total & Duration 6.4 inches in 72 hours												
Storm Representative SST 61.0 F												
Storm Representative SST Location 45.00 N 149.00 W 15-Aug												
In-place Maximum SST 62.5 F 62.73												
Moisture Inflow Vector SSE @ 910												
In-place Maximization Factor 1.12												
Temporal Transposition (Date) 15-Aug												
Transposition SST Location 34.45 N 71.97 W												
Transposition Maximum SST 83.0 F												
Transposition Adjustment Factor #VALUE!												
Average Basin Elevation 3,650												
Highest Elevation in Basin 13,131												
Inflow Barrier Height 1,483												
Elevation Adjustment Factor #VALUE!												
Total Adjustment Factor #VALUE!												


SPAS 1270 Fairbanks, AK Storm Analysis
August 11 - 16, 1967



Storm 1270 - Aug. 8 (1000 UTC) - Aug. 18 (0900 UTC), 1967
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)



Area (mi ²)	Duration (hours)													
	1	6	12	24	48	72	96	120	144	168	192	216	240	Total
0.3	0.58	2.04	3.37	5.36	7.54	8.55	9.1	9.71	10.21	10.5	10.56	10.65	10.66	10.66
1	0.55	1.96	3.26	5.18	7.32	8.3	8.83	9.35	9.89	10.19	10.22	10.33	10.33	10.33
10	0.55	1.96	3.26	5.18	7.32	8.3	8.83	9.35	9.89	10.19	10.22	10.33	10.33	10.33
25	0.55	1.96	3.26	5.18	7.32	8.3	8.83	9.35	9.89	10.19	10.22	10.33	10.33	10.33
50	0.55	1.96	3.26	5.18	7.32	8.3	8.83	9.35	9.89	10.19	10.22	10.33	10.33	10.33
100	0.53	1.94	3.16	5.07	7.18	8.16	8.59	9.35	9.75	9.94	9.96	10.2	10.26	10.26
150	0.51	1.91	3.16	5.04	7.1	8.07	8.54	9.16	9.63	9.8	9.88	10.12	10.18	10.18
200	0.5	1.88	3.06	4.91	6.98	7.98	8.49	9.12	9.59	9.79	9.86	10.05	10.11	10.11
300	0.48	1.84	3.04	4.83	6.85	7.67	8.39	9.1	9.51	9.79	9.83	9.9	9.95	9.95
400	0.47	1.79	2.93	4.71	6.69	7.64	8.26	8.9	9.41	9.62	9.65	9.79	9.85	9.85
500	0.46	1.75	2.91	4.66	6.54	7.64	8.21	8.84	9.33	9.5	9.51	9.72	9.78	9.78
1,000	0.44	1.69	2.77	4.51	6.37	7.44	7.81	8.4	8.98	9.13	9.17	9.42	9.5	9.50
2,000	0.41	1.62	2.59	4.27	6.11	7.1	7.51	7.92	8.56	8.71	8.97	9.07	9.18	9.18
5,000	0.37	1.5	2.42	3.91	5.67	6.32	7.1	7.36	7.92	8.21	8.28	8.53	8.59	8.59
10,000	0.33	1.32	2.17	3.55	5.04	5.99	6.45	6.83	7.37	7.56	7.83	7.95	7.97	7.97
20,000	0.28	1.14	1.9	3.03	4.29	5.05	5.63	6.07	6.49	6.89	6.95	7.12	7.17	7.17
50,000	0.16	0.73	1.32	2.23	3.11	3.89	4.3	4.51	4.86	5.24	5.38	5.46	5.5	5.50





Total Storm (240-hr) Precipitation (inches)
August 8-17, 1967 - "The Great Fairbanks Flood"
SPAS #1270

Precipitation (inches)




METSTAT, Inc. 02/04/2013



Sutton, AK, SPAS 1269 Zone 1
August 5, 1971


Storm Name: SPAS 1269, DAD Zone 1		Storm Adjustment for Susitna-Watana										
Storm Date: 8/5-11/1971												
AWA Analysis Date: 3/14/2014												
Temporal Transposition Date: 15-Aug												
Storm center location	Lat: 61.90 N Long: 148.86 W	Moisture Inflow Direction:	SSW @ 1715 miles									
Storm Rep SST location	38.00 N 159.70 W	Basin Elevation	3,654 feet									
Transposition SST location	NA NA	Storm Elevation	6,385 feet									
Basin location	42.76 N 74.12 W	Storm Duration	192 hours									
		Effective Barrier Height	1,200 feet									
The storm representative SST is 71.0 F		with total precipitable water above sea level of 2.36 inches.										
The in-place maximum SST is 74.0 F		with total precipitable water above sea level of 2.73 inches.										
The transpositioned maximum SST is NA		with total precipitable water above sea level of 4.44 inches.										
The in-place storm elevation is 6,385		which subtracts 1.15 inches of precipitable water at 71.0 F										
The in-place storm elevation is 6,385		which subtracts 1.28 inches of precipitable water at 74.0 F										
The transposition storm elevation at 3,654		which subtracts XXX inches of precipitable water at NA										
The moisture inflow barrier height is 1,200		which subtracts XXX inches of precipitable water at NA										
The in-place maximization factor is 1.20		Notes: Storm Rep SST taken from a region between 35-40N and 160 to 164W where temperatures remained within a few degrees from the 4th through the 6th.										
The transposition/elevation factor is 1.00												
The barrier adjustment factor is #VALUE!												
The total adjustment factor is #VALUE!												
Observed Storm Depth-Area-Duration												
	1 Hours	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours
1 sq miles	0.6	2.7	4.1	5.3	6.1	6.7	8.8	9.5	10.7	11.0	11.1	11.1
10 sq miles	0.6	2.7	4.1	5.3	6.1	6.7	8.8	9.5	10.7	11.0	11.1	11.1
100 sq miles	0.5	2.6	3.9	5.1	5.9	6.3	8.4	9.1	10.4	10.6	10.7	10.8
200 sq miles	0.5	2.5	3.8	4.9	5.6	6.1	8.0	8.7	9.9	10.1	10.3	10.3
500 sq miles	0.5	2.3	3.5	4.5	5.1	5.6	6.9	7.8	9.0	9.2	9.3	9.4
1000 sq miles	0.4	1.9	2.9	4.0	4.3	4.7	6.2	6.7	7.5	7.7	8.4	8.5
2000 sq miles	0.4	1.7	2.6	3.2	3.7	4.1	5.0	5.6	6.9	7.0	7.4	7.5
5000 sq miles	0.2	1.2	1.9	2.4	2.9	3.4	4.1	4.9	5.7	5.8	6.0	6.1
10000 sq miles	0.2	0.9	1.4	1.8	2.3	2.7	3.6	4.0	4.7	4.8	4.9	5.0
20000 sq miles	0.1	0.4	0.6	1.0	1.6	1.9	2.5	2.9	3.4	3.4	3.6	3.7
Adjusted Storm Depth-Area-Duration												
	1 Hours	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name SPAS 1269, DAD Zone 1												
Storm Date(s) 8/5-11/1971												
Storm Type Synoptic												
Storm Location 61.90 N 148.86 W												
Storm Center Elevation 6385												
Precipitation Total & Duration (10 sq mi) 11.1 inches in 192 hours												
Storm Representative SST 71.0 F												
Storm Representative SST Location 38.00 N 159.70 W Aug												
In-place Maximum SST 74.0 F 74												
Moisture Inflow Vector SSW @ 1715												
In-place Maximization Factor 1.20												
Temporal Transposition (Date) 15-Aug												
Transposition SST Location NA NA												
Transposition Maximum SST NA												
Transposition Adjustment Factor 1.00												
Average Basin Elevation 3,654												
Highest Elevation in Basin 13,131												
Inflow Barrier Height 1,200												
Elevation Adjustment Factor #VALUE!												
Total Adjustment Factor #VALUE!												

SPAS 1269
August 4, 1971





Storm 1269 - Aug. 4 (1000 UTC) - Aug. 11 (0900 UTC), 1971													
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)													
Area (mi ²)	Duration (hours)												
	1	6	12	24	36	48	72	96	120	144	168	192	Total
0.2	0.56	2.8	4.19	5.44	6.23	6.87	8.99	9.7	10.97	11.24	11.35	11.39	11.39
1	0.55	2.72	4.1	5.3	6.06	6.7	8.76	9.47	10.74	10.97	11.08	11.10	11.10
10	0.55	2.72	4.1	5.3	6.06	6.7	8.76	9.47	10.74	10.97	11.08	11.10	11.10
25	0.55	2.72	4.1	5.3	6.06	6.7	8.76	9.47	10.74	10.97	11.08	11.10	11.10
50	0.55	2.72	4.01	5.28	6.04	6.6	8.63	9.38	10.63	10.86	10.97	11.05	11.05
100	0.53	2.64	3.92	5.14	5.88	6.32	8.38	9.11	10.35	10.57	10.68	10.76	10.76
150	0.52	2.58	3.86	5.01	5.75	6.31	8.16	8.89	10.11	10.29	10.47	10.52	10.52
200	0.51	2.53	3.75	4.92	5.63	6.1	8.04	8.65	9.91	10.14	10.25	10.31	10.31
300	0.5	2.44	3.62	4.75	5.3	5.87	7.74	8.32	9.56	9.78	9.89	9.96	9.96
400	0.48	2.37	3.52	4.61	5.1	5.66	7.41	8.02	9.27	9.48	9.59	9.67	9.67
500	0.47	2.28	3.45	4.47	5.1	5.62	6.9	7.75	9.02	9.22	9.32	9.41	9.41
1,000	0.41	1.91	2.91	4.01	4.3	4.68	6.18	6.68	7.51	7.68	8.41	8.49	8.49
2,000	0.35	1.66	2.63	3.24	3.65	4.08	4.96	5.59	6.85	6.97	7.38	7.47	7.47
5,000	0.24	1.19	1.9	2.36	2.94	3.36	4.07	4.87	5.69	5.8	6.01	6.10	6.10
10,000	0.19	0.91	1.42	1.8	2.29	2.68	3.57	4.01	4.66	4.83	4.9	4.95	4.95
20,000	0.13	0.4	0.63	0.97	1.58	1.9	2.46	2.92	3.37	3.4	3.59	3.68	3.68
46,397	0.07	0.32	0.54	0.75	1.02	1.32	1.61	1.96	2.27	2.32	2.36	2.38	2.38





Total Storm Precipitation (inches)
August 4-11, 1971 (192-hours)
SPAS #1269

Precipitation (inches)




MetStat, Inc. 05/28/2013



Black Rapids, AK SPAS 1269 Zone 2 August 5, 1971


Storm Name: SPAS 1269, DAD Zone 2			Storm Adjustment for Susitna-Watana																																					
Storm Date: 8/5-11/1971																																								
AWA Analysis Date: 3/14/2014																																								
Temporal Transposition Date: 15-Aug																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Storm center location</td> <td style="width: 20%;">Lat</td> <td style="width: 20%;">Long</td> </tr> <tr> <td></td> <td>63.47 N</td> <td>145.48 W</td> </tr> <tr> <td>Storm Rep SST location</td> <td>38.00 N</td> <td>159.70 W</td> </tr> <tr> <td>Transposition SST location</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Basin location</td> <td>42.76 N</td> <td>74.12 W</td> </tr> </table>			Storm center location	Lat	Long		63.47 N	145.48 W	Storm Rep SST location	38.00 N	159.70 W	Transposition SST location	NA	NA	Basin location	42.76 N	74.12 W	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">Moisture Inflow Direction:</td> <td>SSW @ 1675</td> <td>miles</td> </tr> <tr> <td>Basin Elevation</td> <td>3,654</td> <td>feet</td> </tr> <tr> <td>Storm Elevation</td> <td>6,235</td> <td>feet</td> </tr> <tr> <td>Storm Duration</td> <td>192</td> <td>hours</td> </tr> <tr> <td>Effective Barrier Height</td> <td>1,200</td> <td>feet</td> </tr> </table>			Moisture Inflow Direction:	SSW @ 1675	miles	Basin Elevation	3,654	feet	Storm Elevation	6,235	feet	Storm Duration	192	hours	Effective Barrier Height	1,200	feet					
Storm center location	Lat	Long																																						
	63.47 N	145.48 W																																						
Storm Rep SST location	38.00 N	159.70 W																																						
Transposition SST location	NA	NA																																						
Basin location	42.76 N	74.12 W																																						
Moisture Inflow Direction:	SSW @ 1675	miles																																						
Basin Elevation	3,654	feet																																						
Storm Elevation	6,235	feet																																						
Storm Duration	192	hours																																						
Effective Barrier Height	1,200	feet																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">The storm representative SST is</td> <td style="width: 10%;">71.0 F</td> <td style="width: 30%;">with total precipitable water above sea level of</td> <td style="width: 10%;">2.36</td> <td style="width: 10%;">inches.</td> </tr> <tr> <td>The in-place maximum SST is</td> <td>74.0 F</td> <td>with total precipitable water above sea level of</td> <td>2.73</td> <td>inches.</td> </tr> <tr> <td>The transpositioned maximum SST is</td> <td>NA</td> <td>with total precipitable water above sea level of</td> <td>4.44</td> <td>inches.</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>6,235</td> <td>which subtracts</td> <td>1.13</td> <td>inches of precipitable water at 71.0 F</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>6,235</td> <td>which subtracts</td> <td>1.26</td> <td>inches of precipitable water at 74.0 F</td> </tr> <tr> <td>The transposition storm elevation at</td> <td>3,654</td> <td>which subtracts</td> <td>X.XX</td> <td>inches of precipitable water at NA</td> </tr> <tr> <td>The moisture inflow barrier height is</td> <td>1,200</td> <td>which subtracts</td> <td>X.XX</td> <td>inches of precipitable water at NA</td> </tr> </table>						The storm representative SST is	71.0 F	with total precipitable water above sea level of	2.36	inches.	The in-place maximum SST is	74.0 F	with total precipitable water above sea level of	2.73	inches.	The transpositioned maximum SST is	NA	with total precipitable water above sea level of	4.44	inches.	The in-place storm elevation is	6,235	which subtracts	1.13	inches of precipitable water at 71.0 F	The in-place storm elevation is	6,235	which subtracts	1.26	inches of precipitable water at 74.0 F	The transposition storm elevation at	3,654	which subtracts	X.XX	inches of precipitable water at NA	The moisture inflow barrier height is	1,200	which subtracts	X.XX	inches of precipitable water at NA
The storm representative SST is	71.0 F	with total precipitable water above sea level of	2.36	inches.																																				
The in-place maximum SST is	74.0 F	with total precipitable water above sea level of	2.73	inches.																																				
The transpositioned maximum SST is	NA	with total precipitable water above sea level of	4.44	inches.																																				
The in-place storm elevation is	6,235	which subtracts	1.13	inches of precipitable water at 71.0 F																																				
The in-place storm elevation is	6,235	which subtracts	1.26	inches of precipitable water at 74.0 F																																				
The transposition storm elevation at	3,654	which subtracts	X.XX	inches of precipitable water at NA																																				
The moisture inflow barrier height is	1,200	which subtracts	X.XX	inches of precipitable water at NA																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">The in-place maximization factor is</td> <td style="width: 10%;">1.20</td> <td colspan="3" rowspan="4" style="vertical-align: top; padding: 5px;"> Notes: Storm Rep SST taken from a region between 35-40N and 160 to 164W where temperatures remained within a few degrees from the 4th through the 6th. </td> </tr> <tr> <td>The transposition/elevation factor is</td> <td>1.00</td> </tr> <tr> <td>The barrier adjustment factor is</td> <td>#VALUE!</td> </tr> <tr> <td>The total adjustment factor is</td> <td>#VALUE!</td> </tr> </table>						The in-place maximization factor is	1.20	Notes: Storm Rep SST taken from a region between 35-40N and 160 to 164W where temperatures remained within a few degrees from the 4th through the 6th.			The transposition/elevation factor is	1.00	The barrier adjustment factor is	#VALUE!	The total adjustment factor is	#VALUE!																								
The in-place maximization factor is	1.20	Notes: Storm Rep SST taken from a region between 35-40N and 160 to 164W where temperatures remained within a few degrees from the 4th through the 6th.																																						
The transposition/elevation factor is	1.00																																							
The barrier adjustment factor is	#VALUE!																																							
The total adjustment factor is	#VALUE!																																							
Observed Storm Depth-Area-Duration																																								
	1 Hours	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours																												
1 sq miles	0.4	2.1	3.1	4.6	6.0	7.5	9.0	10.0	10.7	10.9	10.9	10.9																												
10 sq miles	0.4	2.1	3.1	4.6	6.0	7.5	9.0	10.0	10.7	10.9	10.9	10.9																												
100 sq miles	0.4	2.0	3.1	4.5	5.8	7.3	8.9	9.8	10.6	10.7	10.8	10.8																												
200 sq miles	0.4	2.0	3.0	4.4	5.6	7.0	8.6	9.5	10.2	10.3	10.4	10.4																												
500 sq miles	0.4	1.7	2.6	3.8	4.9	6.1	7.5	8.3	8.8	9.1	9.1	9.1																												
1000 sq miles	0.3	1.3	2.0	2.8	3.9	4.8	5.9	6.5	7.2	7.3	7.6	7.7																												
2000 sq miles	0.2	0.8	1.5	2.2	2.8	3.5	4.6	4.7	5.8	5.9	6.2	6.2																												
5000 sq miles	0.2	0.7	1.1	1.6	2.2	2.8	3.4	3.7	4.5	4.6	4.7	4.7																												
10000 sq miles	0.1	0.5	0.7	1.0	1.4	1.6	2.0	2.3	2.6	3.4	3.7	3.8																												
20000 sq miles	0.1	0.4	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.4	2.5	2.6																												
Adjusted Storm Depth-Area-Duration																																								
	1 Hours	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours																												
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																												
Storm or Storm Center Name																																								
Storm Date(s)																																								
Storm Type																																								
Storm Location																																								
Storm Center Elevation																																								
Precipitation Total & Duration (10 sq mi)																																								
Storm Representative SST																																								
Storm Representative SST Location																																								
In-place Maximum SST																																								
Moisture Inflow Vector																																								
In-place Maximization Factor																																								
Temporal Transposition (Date)																																								
Transposition SST Location																																								
Transposition Maximum SST																																								
Transposition Adjustment Factor																																								
Average Basin Elevation																																								
Highest Elevation in Basin																																								
Inflow Barrier Height																																								
Elevation Adjustment Factor																																								
Total Adjustment Factor																																								

SPAS 1269
August 4, 1971





Storm 1269 - Aug. 4 (1000 UTC) - Aug. 11 (0900 UTC), 1971															
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)															
Area (mi ²)	Duration (hours)														
	1	6	12	18	24	36	48	72	96	120	144	168	192	Total	
0.20	0.44	2.11	3.21	3.86	3.86	4.69	6.11	7.64	9.23	10.21	11.02	11.17	11.18	11.18	
1	0.43	2.06	3.14	3.78	3.78	4.56	5.96	7.47	9.01	9.97	10.74	10.92	10.93	10.93	
10	0.43	2.06	3.14	3.78	3.78	4.56	5.96	7.47	9.01	9.97	10.74	10.92	10.93	10.93	
25	0.43	2.06	3.14	3.78	3.78	4.56	5.96	7.47	9.01	9.97	10.74	10.92	10.93	10.93	
50	0.43	2.06	3.14	3.78	3.78	4.56	5.96	7.47	9.01	9.97	10.74	10.92	10.93	10.93	
100	0.42	2.03	3.10	3.69	3.69	4.53	5.84	7.29	8.87	9.83	10.58	10.70	10.79	10.79	
150	0.42	2.00	3.04	3.6	3.60	4.45	5.70	7.20	8.69	9.64	10.26	10.46	10.60	10.60	
200	0.41	1.95	2.98	3.52	3.52	4.36	5.58	7.04	8.57	9.48	10.24	10.30	10.39	10.39	
300	0.39	1.87	2.83	3.41	3.41	4.16	5.39	6.75	8.18	9.06	9.72	9.85	9.95	9.95	
400	0.37	1.72	2.67	3.21	3.21	3.79	5.11	6.38	7.78	8.64	9.21	9.32	9.52	9.52	
500	0.35	1.68	2.58	3.1	3.10	3.75	4.91	6.14	7.45	8.26	8.83	9.05	9.08	9.09	
1,000	0.28	1.30	2.01	2.23	2.23	2.83	3.87	4.83	5.86	6.50	7.23	7.28	7.61	7.69	
2,000	0.23	0.82	1.47	1.8	1.80	2.23	2.83	3.48	4.64	4.68	5.84	5.86	6.16	6.18	
5,000	0.18	0.68	1.05	1.29	1.29	1.64	2.15	2.78	3.41	3.65	4.51	4.59	4.74	4.74	
10,000	0.14	0.47	0.72	0.92	0.92	1.00	1.42	1.59	1.97	2.31	2.58	3.35	3.72	3.77	
20,000	0.11	0.36	0.57	0.72	0.72	0.87	1.21	1.53	1.82	2.12	2.35	2.40	2.54	2.61	
50,000	0.04	0.21	0.32	0.42	0.42	0.46	0.81	0.81	0.98	1.31	1.31	1.66	1.88	1.88	





Total Storm Precipitation (inches)
August 4-11, 1971 (192-hours)
SPAS #1269

Precipitation (inches)




MetStat, Inc. 05/28/2013

Mt. Geist, AK, SPAS 1268 Zone 2
July 24, 1980



Storm Name: SPAS 1268-AK Zone 2		Storm Adjustment for Susitna-Watana											
Storm Date: July 24-31, 1980													
AWA Analysis Date: 3/14/2014													
Temporal Transposition Date: 15-Aug													
Storm Center Location	Lat: 63.64 N Long: 146.97 W	Moisture Inflow Direction	SSW @ 530 miles										
Storm Rep SST Location	56.00 N 148.54 W	Basin Average Elevation	NA feet										
Transposition SST Location	NA NA	Storm Center Elevation	8,215 feet										
Basin Location	* *	Storm Analysis Duration	24 hours										
		Effective Barrier Height	NA feet										
The storm representative SST is 56.0 F		with total precipitable water above sea level of 1.13 inches.											
The in-place maximum SST is 58.0 F		with total precipitable water above sea level of 1.25 inches.											
The transposition maximum SST is NA		with total precipitable water above sea level of 3.22 inches.											
The in-place storm elevation is 8,215 feet		which subtracts 0.77 inches of precipitable water at 56.0 F											
The in-place storm elevation is 8,215 feet		which subtracts 0.84 inches of precipitable water at 58.0 F											
The transposition storm elevation at NA		feet which subtracts NA inches of precipitable water at NA											
The moisture inflow barrier height is NA		feet which subtracts NA inches of precipitable water at NA											
The in-place maximization factor is 1.14		Notes: Storm representative SST value was based on SST values for July 25-27 along the surface HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and was as closest to the storm center.											
The transposition factor is #VALUE!													
The elevation/barrier adjustment factor is #VALUE!													
The total adjustment factor is #VALUE!													
Observed Storm Depth-Area-Duration													
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours
1 sq miles	0.3	0.7	1.0	1.4	1.6	2.0	2.4	3.4	3.8	4.3	4.9	5.1	5.1
10 sq miles	0.3	0.7	1.0	1.4	1.6	2.0	2.4	3.4	3.8	4.3	4.9	5.1	5.1
100 sq miles	0.3	0.7	1.0	1.4	1.6	2.0	2.3	3.3	3.8	4.3	4.8	5.0	5.0
200 sq miles	0.3	0.7	1.0	1.3	1.5	2.0	2.3	3.2	3.6	4.2	4.7	4.8	4.9
500 sq miles	0.3	0.6	0.9	1.2	1.4	1.9	2.2	3.0	3.4	3.9	4.4	4.6	4.6
1000 sq miles	0.3	0.5	0.8	1.1	1.3	1.7	2.1	2.7	3.1	3.6	3.8	4.1	4.2
2000 sq miles	0.2	0.5	0.7	0.9	1.1	1.6	1.8	2.3	2.7	3.1	3.4	3.7	3.7
5000 sq miles	0.2	0.4	0.5	0.7	0.9	1.3	1.5	1.8	2.1	2.6	2.8	2.9	3.0
10000 sq miles	0.1	0.2	0.4	0.5	0.7	1.0	1.2	1.3	1.7	2.1	2.3	2.4	2.5
20000 sq miles	0.1	0.2	0.3	0.4	0.5	0.7	0.8	1.1	1.3	1.6	1.7	1.9	1.9
Adjusted Storm Depth-Area-Duration													
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name		SPAS 1268-AK Zone 2											
Storm Date(s)		July 24-31, 1980											
Storm Type		Synoptic											
Storm Location		63.64 N 146.97 W											
Storm Center Elevation		8,215											
Precipitation Total & Duration (10 sq mi)		5.26 inches at 192 hours											
Storm Representative SST		56.0 F											
Storm Representative SST Location		56.00 N 148.54 W											
Maximum SST		58.0 F											
Moisture Inflow Vector		SSW @ 530											
In-place Maximization Factor		1.14											
Temporal Transposition (Date)		15-Aug											
Transposition SST Location		NA NA											
Transposition Maximum SST		NA											
Transposition Adjustment Factor		#VALUE!											
Average Basin Elevation		NA											
Highest Elevation in Basin		NA											
Inflow Barrier Height		NA											
Elevation Adjustment Factor		#VALUE!											
Total Adjustment Factor		#VALUE!											


SPAS 1268 Gate AK Storm Analysis
July 25 - 27, 1980



Storm 1268 - Jul. 24 (0900 UTC) - Aug. 1 (0800 UTC), 1980
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)

Area (mi ²)	Duration (hours)												
	1	6	12	18	24	36	48	72	96	120	144	168	192
0.2	0.36	0.71	1.05	1.42	1.63	2.08	2.41	3.48	3.92	4.47	5.02	5.25	5.26
1	0.33	0.71	1	1.39	1.6	2.03	2.35	3.35	3.84	4.32	4.85	5.14	5.14
10	0.33	0.71	1	1.39	1.6	2.03	2.35	3.35	3.84	4.32	4.85	5.14	5.14
25	0.33	0.7	1	1.39	1.6	2.03	2.35	3.35	3.84	4.32	4.85	5.14	5.14
50	0.33	0.69	1	1.39	1.59	2.02	2.35	3.35	3.81	4.32	4.85	5.05	5.12
100	0.33	0.68	1	1.36	1.56	1.99	2.33	3.32	3.75	4.27	4.81	5.01	5.03
150	0.33	0.66	0.99	1.34	1.52	1.96	2.31	3.27	3.69	4.21	4.73	4.89	4.96
200	0.33	0.65	0.98	1.32	1.51	1.95	2.28	3.23	3.64	4.15	4.67	4.82	4.89
300	0.32	0.63	0.95	1.29	1.47	1.91	2.24	3.15	3.55	4.06	4.56	4.74	4.77
400	0.31	0.61	0.93	1.26	1.43	1.88	2.21	3.09	3.48	3.97	4.47	4.67	4.68
500	0.31	0.6	0.91	1.23	1.41	1.86	2.18	3.02	3.41	3.88	4.38	4.57	4.58
1,000	0.28	0.54	0.81	1.12	1.27	1.74	2.05	2.71	3.07	3.56	3.82	4.13	4.19
2,000	0.24	0.49	0.65	0.9	1.06	1.56	1.84	2.31	2.71	3.09	3.36	3.68	3.73
5,000	0.16	0.37	0.47	0.67	0.88	1.25	1.5	1.83	2.05	2.59	2.81	2.94	3.01
10,000	0.11	0.24	0.38	0.52	0.66	0.95	1.15	1.31	1.72	2.13	2.27	2.39	2.46
20,000	0.07	0.17	0.26	0.37	0.47	0.68	0.81	1.06	1.29	1.62	1.74	1.86	1.9
26,863	0.05	0.14	0.22	0.3	0.39	0.55	0.69	0.96	1.14	1.43	1.58	1.64	1.64







Total Storm (192-hr) Precipitation (inches)
July 24-31, 1980
SPAS 1268

Gauges

- Daily
- Hourly
- Hourly Pseudo
- Supplemental



Precipitation (inches)




4/30/2013

Denali NP, SPAS 1268 Zone 1
July 24, 1980



Storm Name: SPAS 1268-AK Zone 1			Storm Adjustment for Susitna-Watana																																																																						
Storm Date: July 24-31, 1980																																																																									
AWA Analysis Date: 3/14/2014																																																																									
Temporal Transposition Date 15-Aug																																																																									
<table border="1"> <tr> <td></td> <td>Lat</td> <td>Long</td> </tr> <tr> <td>Storm Center Location</td> <td>62.95 N</td> <td>150.08 W</td> </tr> <tr> <td>Storm Rep SST Location</td> <td>56.00 N</td> <td>148.54 W</td> </tr> <tr> <td>Transposition SST Location</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Basin Location</td> <td>*</td> <td>*</td> </tr> </table>				Lat	Long	Storm Center Location	62.95 N	150.08 W	Storm Rep SST Location	56.00 N	148.54 W	Transposition SST Location	NA	NA	Basin Location	*	*	<table border="1"> <tr> <td>Moisture Inflow Direction</td> <td>SSE @ 485</td> <td>miles</td> </tr> <tr> <td>Basin Average Elevation</td> <td>NA</td> <td>feet</td> </tr> <tr> <td>Storm Center Elevation</td> <td>4,750</td> <td>feet</td> </tr> <tr> <td>Storm Analysis Duration</td> <td>24</td> <td>hours</td> </tr> <tr> <td>Effective Barrier Height</td> <td>NA</td> <td>feet</td> </tr> </table>			Moisture Inflow Direction	SSE @ 485	miles	Basin Average Elevation	NA	feet	Storm Center Elevation	4,750	feet	Storm Analysis Duration	24	hours	Effective Barrier Height	NA	feet																																						
	Lat	Long																																																																							
Storm Center Location	62.95 N	150.08 W																																																																							
Storm Rep SST Location	56.00 N	148.54 W																																																																							
Transposition SST Location	NA	NA																																																																							
Basin Location	*	*																																																																							
Moisture Inflow Direction	SSE @ 485	miles																																																																							
Basin Average Elevation	NA	feet																																																																							
Storm Center Elevation	4,750	feet																																																																							
Storm Analysis Duration	24	hours																																																																							
Effective Barrier Height	NA	feet																																																																							
<table border="1"> <tr> <td>The storm representative SST is</td> <td>56.0 F</td> <td>with total precipitable water above sea level of</td> <td>1.13</td> <td>inches.</td> </tr> <tr> <td>The in-place maximum SST is</td> <td>58.0 F</td> <td>with total precipitable water above sea level of</td> <td>1.25</td> <td>inches.</td> </tr> <tr> <td>The transpositioned maximum SST is</td> <td>NA</td> <td>with total precipitable water above sea level of</td> <td>3.22</td> <td>inches.</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>4,750</td> <td>feet which subtracts</td> <td>0.52</td> <td>inches of precipitable water at 56.0 F</td> </tr> <tr> <td>The in-place storm elevation is</td> <td>4,750</td> <td>feet which subtracts</td> <td>0.56</td> <td>inches of precipitable water at 58.0 F</td> </tr> <tr> <td>The transposition storm elevation at</td> <td>NA</td> <td>feet which subtracts</td> <td>NA</td> <td>inches of precipitable water at NA</td> </tr> <tr> <td>The moisture inflow barrier height is</td> <td>NA</td> <td>feet which subtracts</td> <td>NA</td> <td>inches of precipitable water at NA</td> </tr> </table>						The storm representative SST is	56.0 F	with total precipitable water above sea level of	1.13	inches.	The in-place maximum SST is	58.0 F	with total precipitable water above sea level of	1.25	inches.	The transpositioned maximum SST is	NA	with total precipitable water above sea level of	3.22	inches.	The in-place storm elevation is	4,750	feet which subtracts	0.52	inches of precipitable water at 56.0 F	The in-place storm elevation is	4,750	feet which subtracts	0.56	inches of precipitable water at 58.0 F	The transposition storm elevation at	NA	feet which subtracts	NA	inches of precipitable water at NA	The moisture inflow barrier height is	NA	feet which subtracts	NA	inches of precipitable water at NA																																	
The storm representative SST is	56.0 F	with total precipitable water above sea level of	1.13	inches.																																																																					
The in-place maximum SST is	58.0 F	with total precipitable water above sea level of	1.25	inches.																																																																					
The transpositioned maximum SST is	NA	with total precipitable water above sea level of	3.22	inches.																																																																					
The in-place storm elevation is	4,750	feet which subtracts	0.52	inches of precipitable water at 56.0 F																																																																					
The in-place storm elevation is	4,750	feet which subtracts	0.56	inches of precipitable water at 58.0 F																																																																					
The transposition storm elevation at	NA	feet which subtracts	NA	inches of precipitable water at NA																																																																					
The moisture inflow barrier height is	NA	feet which subtracts	NA	inches of precipitable water at NA																																																																					
<table border="1"> <tr> <td>The in-place maximization factor is</td> <td>1.13</td> </tr> <tr> <td>The transposition factor is</td> <td>#VALUE!</td> </tr> <tr> <td>The elevation barrier adjustment factor is</td> <td>#VALUE!</td> </tr> <tr> <td>The total adjustment factor is</td> <td>#VALUE!</td> </tr> </table>						The in-place maximization factor is	1.13	The transposition factor is	#VALUE!	The elevation barrier adjustment factor is	#VALUE!	The total adjustment factor is	#VALUE!	Notes: Storm representative SST value was based on SST values for July 25-27 along the surface HYSPLIT trajectory data. Values were selected in region where temperature did not vary more than a 1-degree over a large area and was as closest to the storm center.																																																											
The in-place maximization factor is	1.13																																																																								
The transposition factor is	#VALUE!																																																																								
The elevation barrier adjustment factor is	#VALUE!																																																																								
The total adjustment factor is	#VALUE!																																																																								
Observed Storm Depth-Area-Duration																																																																									
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours																																																												
1 sq miles	0.5	1.8	2.7	3.3	3.7	4.0	5.0	6.2	6.5	6.8	6.9	7.1	7.1																																																												
10 sq miles	0.5	1.8	2.7	3.3	3.7	4.0	5.0	6.2	6.5	6.8	6.9	7.1	7.1																																																												
100 sq miles	0.4	1.8	2.6	3.3	3.6	3.9	4.8	6.0	6.2	6.5	6.6	6.6	6.8																																																												
200 sq miles	0.4	1.7	2.6	3.2	3.5	3.9	4.6	5.8	6.0	6.2	6.4	6.5	6.6																																																												
500 sq miles	0.3	1.6	2.5	3.0	3.3	3.7	4.4	5.5	5.6	5.9	6.1	6.1	6.3																																																												
1000 sq miles	0.3	1.6	2.3	2.8	3.2	3.5	4.2	5.1	5.3	5.6	5.7	5.9	5.9																																																												
2000 sq miles	0.3	1.4	2.1	2.5	2.8	3.2	3.5	4.4	4.5	4.8	5.0	5.4	5.4																																																												
5000 sq miles	0.2	1.1	1.7	2.0	2.3	2.4	2.9	3.7	3.9	4.2	4.3	4.5	4.6																																																												
10000 sq miles	0.2	0.8	1.4	1.6	1.8	2.1	2.2	2.8	2.9	3.3	3.5	3.7	3.8																																																												
20000 sq miles	0.1	0.6	1.0	1.2	1.3	1.4	1.6	2.0	2.3	2.5	2.7	2.8	2.8																																																												
Adjusted Storm Depth-Area-Duration																																																																									
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	144 Hours	168 Hours	192 Hours																																																												
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!																																																												
<table border="1"> <tr> <td>Storm or Storm Center Name</td> <td colspan="2">SPAS 1268-AK Zone 1</td> </tr> <tr> <td>Storm Date(s)</td> <td colspan="2">July 24-31, 1980</td> </tr> <tr> <td>Storm Type</td> <td colspan="2">Synoptic</td> </tr> <tr> <td>Storm Location</td> <td>62.95 N</td> <td>150.08 W</td> </tr> <tr> <td>Storm Center Elevation</td> <td colspan="2">4,750</td> </tr> <tr> <td>Precipitation Total & Duration (10 sq mi)</td> <td colspan="2">7.33 inches at 192 hours</td> </tr> <tr> <td>Storm Representative SST</td> <td colspan="2">56.0 F</td> </tr> <tr> <td>Storm Representative SST Location</td> <td>56.00 N</td> <td>148.54 W</td> </tr> <tr> <td>Maximum SST</td> <td>58.0 F</td> <td>56 58</td> </tr> <tr> <td>Moisture Inflow Vector</td> <td colspan="2">SSE @ 485</td> </tr> <tr> <td>In-place Maximization Factor</td> <td colspan="2">1.13</td> </tr> <tr> <td>Temporal Transposition (Date)</td> <td colspan="2">15-Aug</td> </tr> <tr> <td>Transposition SST Location</td> <td>NA</td> <td>NA</td> </tr> <tr> <td>Transposition Maximum SST</td> <td colspan="2">NA</td> </tr> <tr> <td>Transposition Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> <tr> <td>Average Basin Elevation</td> <td colspan="2">NA</td> </tr> <tr> <td>Highest Elevation in Basin</td> <td colspan="2">NA</td> </tr> <tr> <td>Inflow Barrier Height</td> <td colspan="2">NA</td> </tr> <tr> <td>Elevation Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> <tr> <td>Total Adjustment Factor</td> <td colspan="2">#VALUE!</td> </tr> </table>														Storm or Storm Center Name	SPAS 1268-AK Zone 1		Storm Date(s)	July 24-31, 1980		Storm Type	Synoptic		Storm Location	62.95 N	150.08 W	Storm Center Elevation	4,750		Precipitation Total & Duration (10 sq mi)	7.33 inches at 192 hours		Storm Representative SST	56.0 F		Storm Representative SST Location	56.00 N	148.54 W	Maximum SST	58.0 F	56 58	Moisture Inflow Vector	SSE @ 485		In-place Maximization Factor	1.13		Temporal Transposition (Date)	15-Aug		Transposition SST Location	NA	NA	Transposition Maximum SST	NA		Transposition Adjustment Factor	#VALUE!		Average Basin Elevation	NA		Highest Elevation in Basin	NA		Inflow Barrier Height	NA		Elevation Adjustment Factor	#VALUE!		Total Adjustment Factor	#VALUE!	
Storm or Storm Center Name	SPAS 1268-AK Zone 1																																																																								
Storm Date(s)	July 24-31, 1980																																																																								
Storm Type	Synoptic																																																																								
Storm Location	62.95 N	150.08 W																																																																							
Storm Center Elevation	4,750																																																																								
Precipitation Total & Duration (10 sq mi)	7.33 inches at 192 hours																																																																								
Storm Representative SST	56.0 F																																																																								
Storm Representative SST Location	56.00 N	148.54 W																																																																							
Maximum SST	58.0 F	56 58																																																																							
Moisture Inflow Vector	SSE @ 485																																																																								
In-place Maximization Factor	1.13																																																																								
Temporal Transposition (Date)	15-Aug																																																																								
Transposition SST Location	NA	NA																																																																							
Transposition Maximum SST	NA																																																																								
Transposition Adjustment Factor	#VALUE!																																																																								
Average Basin Elevation	NA																																																																								
Highest Elevation in Basin	NA																																																																								
Inflow Barrier Height	NA																																																																								
Elevation Adjustment Factor	#VALUE!																																																																								
Total Adjustment Factor	#VALUE!																																																																								


SPAS 1268 Gate AK Storm Analysis
July 25 - 27, 1980



Storm 1268 - Jul. 24 (0900 UTC) - Aug. 1 (0800 UTC), 1980
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)

Area (mi ²)	Duration (hours)												
	1	6	12	18	24	36	48	72	96	120	144	168	192
0.2	0.49	1.85	2.8	3.37	3.74	4.08	5.2	6.49	6.71	7.04	7.17	7.33	7.33
1	0.45	1.82	2.72	3.28	3.66	3.98	5.03	6.23	6.51	6.83	6.93	7.05	7.13
10	0.45	1.82	2.72	3.28	3.66	3.98	5.03	6.23	6.51	6.83	6.93	7.05	7.13
25	0.45	1.82	2.72	3.28	3.66	3.98	4.93	6.23	6.44	6.72	6.83	7.04	7.06
50	0.45	1.82	2.72	3.28	3.66	3.98	4.89	6.14	6.34	6.65	6.76	6.93	6.93
100	0.44	1.79	2.62	3.26	3.58	3.89	4.75	5.99	6.19	6.47	6.56	6.61	6.78
150	0.43	1.76	2.62	3.21	3.55	3.87	4.7	5.87	6.07	6.36	6.46	6.56	6.65
200	0.41	1.74	2.61	3.17	3.5	3.85	4.62	5.76	5.97	6.24	6.35	6.48	6.58
300	0.38	1.71	2.58	3.11	3.43	3.75	4.52	5.68	5.86	6.17	6.27	6.33	6.45
400	0.31	1.67	2.54	3.05	3.4	3.72	4.48	5.57	5.74	6.08	6.18	6.31	6.33
500	0.31	1.64	2.5	3.01	3.33	3.69	4.39	5.48	5.6	5.9	6.07	6.1	6.25
1,000	0.3	1.55	2.34	2.83	3.17	3.5	4.16	5.14	5.31	5.6	5.7	5.86	5.89
2,000	0.27	1.4	2.14	2.54	2.83	3.2	3.51	4.36	4.46	4.78	5.03	5.37	5.4
5,000	0.21	1.12	1.72	2.02	2.3	2.44	2.93	3.67	3.88	4.2	4.32	4.53	4.58
10,000	0.16	0.84	1.35	1.55	1.81	2.07	2.23	2.75	2.9	3.33	3.49	3.74	3.77
20,000	0.1	0.56	0.96	1.16	1.3	1.42	1.61	1.98	2.33	2.49	2.66	2.75	2.8
28,940	0.08	0.43	0.75	0.92	1.05	1.21	1.32	1.7	1.84	2.06	2.16	2.24	2.25






Total Storm (192-hr) Precipitation (inches)
July 24-31, 1980
SPAS 1268

Gauges

- Daily
- Hourly
- Hourly Pseudo
- Supplemental



Precipitation (inches)



4/30/2013

Denali NP, AWA, SPAS 1267 Zone 1
October 8, 1986

Storm Name: Seward, AK SPAS 1267-DAD Zone 1		Storm Adjustment for Susitna-Watana	
Storm Date: 10/8-12/1986			
AWA Analysis Date: 3/4/2014			
Temporal Transposition Date: 25-Sep			
Storm center location	Lat: 62.93 N Long: 151.14 W	Moisture Inflow Direction:	SSE @ 1620 miles
Storm Rep SST location	40.80 N 137.70 W	Basin Elevation	3,650 feet
Transposition SST location	NA NA	Storm Elevation	5,850 feet
Basin location	62.84 N 147.37 W	Storm Duration	24hr feet

The storm representative SST is	66.0 F	with total precipitable water above sea level of	1.86	inches.
The in-place maximum SST is	68.5 F	with total precipitable water above sea level of	2.10	inches.
The transpositioned maximum SST is	NA	with total precipitable water above sea level of	4.08	inches.
The in-place storm elevation is	5,850	which subtracts	0.725	inches of precipitable water at 66.0 F
The in-place storm elevation is	5,850	which subtracts	0.795	inches of precipitable water at 68.5 F
The transposition basin elevation at	3,650	which subtracts	xx	inches of precipitable water at NA
The inflow barrier/basin elevation height is	1,483	which subtracts	xx	inches of precipitable water at NA


The in-place storm maximization factor is	1.15	Notes: DAD values taken from SPAS 1267 Zone 2. Used SST values on October 8-9 along with HYSPLIT backward trajectory. Values were selected in region where temperature did not vary more than a degree over a large area.
The transposition/elevation to basin factor is	#VALUE!	
The barrier adjustment factor is	#VALUE!	
The total adjustment factor is	#VALUE!	

Observed Storm Depth-Area-Duration									
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours
1 sq miles	0.5	2.6	4.9	6.6	7.5	9.1	10.2	10.7	10.7
10 sq miles	0.5	2.5	4.8	6.4	7.4	9.1	10.2	10.7	10.7
100 sq miles	0.4	2.3	4.2	5.8	7.0	9.1	10.2	10.7	10.7
200 sq miles	0.4	2.1	4.1	5.6	6.9	8.9	10.0	10.5	10.5
500 sq miles	0.4	2.1	4.0	5.4	6.6	8.5	9.8	9.8	10.2
1000 sq miles	0.4	2.0	3.8	5.2	6.4	8.4	9.5	9.8	9.9
2000 sq miles	0.3	1.9	3.5	4.9	6.1	8.0	9.1	9.5	9.5
5000 sq miles	0.3	1.7	3.3	4.5	5.6	7.3	8.2	8.4	8.7
10000 sq miles	0.3	1.6	2.9	4.1	5.1	6.6	7.3	7.4	7.8
20000 sq miles	0.2	1.3	2.4	3.3	4.2	5.5	6.1	6.2	6.5

Adjusted Storm Depth-Area-Duration									
	1 Hours	6 Hours	12 Hours	18 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!


Storm or Storm Center Name	Seward, AK SPAS 1267-DAD Zone 1	
Storm Date(s)	10/8-12/1986	
Storm Type	Atmospheric River	
Storm Location	62.93 N	151.14 W
Storm Center Elevation	5,850	
Precipitation Total & Duration	11.01 Inches 96-hours	
Storm Representative SST	66.0 F	24hr
Storm Representative SST Location	40.80 N	137.70 W
Maximum SST	68.5 F	Sep 69.0 Oct 67.0
Moisture Inflow Vector	SSE @ 1620 Miles	
In-place Maximization Factor	1.15	
Temporal Transposition (Date)	25-Sep	
Transposition Dewpoint Location	NA	NA
Transposition Maximum SST	NA	
Transposition Adjustment Factor	#VALUE!	
Average Basin Elevation	3,650	
Highest Elevation in Basin	13,131	
Inflow Barrier Height	1,483	
Elevation Adjustment Factor	#VALUE!	
Total Adjustment Factor	#VALUE!	


SPAS 1267 Alaska Storm Analysis
October 7-11, 1986



Storm 1267 - Oct. 8 (1000 UTC) - Oct. 12 (0900 UTC), 1986
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)

Area (mi ²)	Duration (hours)										
	1	3	6	12	18	24	36	48	72	96	Total
0.2	0.5	1.33	2.63	5	6.74	7.72	9.47	10.59	11.01	11.01	11.01
1	0.49	1.3	2.58	4.87	6.59	7.48	9.14	10.24	10.66	10.66	10.66
10	0.48	1.28	2.51	4.75	6.43	7.41	9.14	10.24	10.66	10.66	10.66
25	0.47	1.24	2.4	4.58	6.1	7.23	9.14	10.24	10.66	10.66	10.66
50	0.45	1.2	2.35	4.47	6.01	7.12	9.14	10.24	10.66	10.66	10.66
100	0.43	1.13	2.26	4.23	5.78	7	9.11	10.24	10.66	10.66	10.66
150	0.42	1.12	2.2	4.21	5.7	6.93	9.01	10.1	10.6	10.6	10.60
200	0.41	1.12	2.14	4.09	5.61	6.87	8.89	10.04	10.53	10.53	10.53
300	0.39	1.09	2.13	3.99	5.48	6.72	8.8	9.93	10.38	10.38	10.38
400	0.38	1.07	2.12	3.99	5.42	6.67	8.67	9.83	10.07	10.25	10.25
500	0.36	1.06	2.11	3.96	5.37	6.61	8.45	9.78	9.84	10.19	10.19
1,000	0.35	1.04	2.02	3.79	5.16	6.36	8.39	9.5	9.83	9.92	9.92
2,000	0.33	0.98	1.92	3.47	4.91	6.09	8.04	9.12	9.51	9.52	9.52
5,000	0.3	0.9	1.73	3.25	4.51	5.57	7.34	8.23	8.41	8.71	8.71
10,000	0.27	0.76	1.55	2.9	4.09	5.06	6.62	7.31	7.37	7.83	7.83
20,000	0.21	0.64	1.26	2.38	3.29	4.19	5.49	6.09	6.15	6.51	6.51
50,000	0.13	0.4	0.79	1.45	2.04	2.52	3.16	3.93	4.03	4.21	4.21
100,000	0.08	0.24	0.45	0.81	1.18	1.51	1.98	2.25	2.37	2.39	2.39
100,631	0.08	0.24	0.45	0.81	1.18	1.5	1.97	2.24	2.37	2.38	2.38







Total Storm (96-hr) Precipitation (inches)
October 8-11, 1986
SPAS 1267

Gauges

- ◆ Daily
- Hourly
- Hourly Pseudo
- ◆ Supplemental




Precipitation (inches)





2/26/2013


Black Rapids, AK, SPAS 1303 Zone 1 August 17, 2006

Storm Name: SPAS 1303 Zone 1			Storm Adjustment for Susitna-Watana							
Storm Date: 8/17-22/2006										
AWA Analysis Date: 3/4/2014										
Temporal Transposition Date		15-Aug								
	Lat	Long								
Storm center location	63.47 N	145.69 W								
Storm Rep SST location	50.00 N	145.00 W								
Transposition SST location	NA	NA								
Basin location	NA	NA								
			Moisture Inflow Direction: S @ 930 miles							
			Basin Elevation 3,650 feet							
			Storm Elevation 5,400 feet							
			Storm Duration 132 hours							
			Effective Barrier Height 1,483 feet							
The storm representative SST is 55.0 F			with total precipitable water above sea level of 1.07 inches.							
The in-place maximum SST is 59.0 F			with total precipitable water above sea level of 1.31 inches.							
The transposition maximum SST is NA			with total precipitable water above sea level of 4.44 inches.							
The in-place storm elevation is 5,400			which subtracts 0.56 inches of precipitable water at 55.0 F							
The in-place storm elevation is 5,400			which subtracts 0.67 inches of precipitable water at 59.0 F							
The transposition storm elevation at 3,650			which subtracts xx inches of precipitable water at NA							
The moisture inflow barrier height is 3,650			which subtracts xx inches of precipitable water at NA							
The in-place maximization factor is 1.25										
The transposition/elevation factor is 1.00										
The barrier adjustment factor is #VALUE!										
The total adjustment factor is #VALUE!										
Observed Storm Depth-Area-Duration										
	1 Hour	6 Hours	12 Hours	18 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	132 Hours
1 sq miles	0.7	2.9	5.1	6.0	7.7	10.4	14.2	15.1	15.7	15.7
10 sq miles	0.7	2.9	5.1	6.0	7.7	10.4	14.2	15.1	15.7	15.7
100 sq miles	0.6	2.8	4.7	5.8	7.6	10.2	13.4	14.2	14.9	15.0
200 sq miles	0.6	2.6	4.4	5.8	7.5	10.2	12.6	13.2	13.8	14.3
500 sq miles	0.5	2.3	3.7	5.5	7.1	9.6	11.5	12.3	12.7	13.0
1000 sq miles	0.4	2.1	3.4	5.1	6.5	8.7	10.4	11.3	11.7	12.0
2000 sq miles	0.4	1.8	3.0	4.5	5.6	7.2	9.1	9.9	10.4	10.6
5000 sq miles	0.3	1.4	2.4	3.6	4.2	5.3	7.0	7.6	8.2	8.4
10000 sq miles	0.2	1.1	1.8	2.7	3.1	4.1	5.5	5.9	6.7	6.9
20000 sq miles	0.2	0.7	1.4	1.6	2.0	2.5	3.4	4.4	5.06	5.2
50000 sq miles	0.1	0.5	0.6	0.7	0.9	1.6	2.4	3.1	3.25	3.5
100000 sq miles	0.1	0.3	0.4	0.6	0.8	1.2	1.7	2.0	2.3	2.4
Adjusted Storm Depth-Area-Duration										
	1 Hour	6 Hours	12 Hours	18 Hours	24 Hours	48 Hours	72 Hours	96 Hours	120 Hours	132 Hours
1 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
50000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name			SPAS 1303 Zone 1							
Storm Date(s)			8/17-22/2006							
Storm Type			Synoptic							
Storm Location			63.47 N 145.69 W							
Storm Center Elevation			5400							
Precipitation Total & Duration (10 sq mi)			16.12 inches in 132 hours							
Storm Representative SST			55.0 F							
Storm Representative SST Location			50.00 N 145.00 W Aug							
In-place Maximum SST			59.0 F 59							
Moisture Inflow Vector			S @ 930							
In-place Maximization Factor			1.25							
Temporal Transposition (Date)			15-Aug							
Transposition SST Location			NA NA Jul							
Transposition Maximum SST			NA							
Transposition Adjustment Factor			1.00							
Average Basin Elevation			3,650							
Highest Elevation in Basin			13,131							
Inflow Barrier Height			1,483							
Elevation Adjustment Factor			#VALUE!							
Total Adjustment Factor			#VALUE!							




Storm 1303 - Aug. 17 (0400 UTC) - Aug. 22 (1500 UTC), 2006											
MAXIMUM AVERAGE DEPTH OF PRECIPITATION (INCHES)											
Area (mi ²)	Duration (hours)										
	1	6	12	18	24	48	72	96	120	132	Total
0.2	0.69	3.03	5.18	6.18	7.93	10.75	14.59	15.56	16.08	16.12	16.12
1	0.65	2.93	5.07	6.04	7.67	10.44	14.16	15.13	15.66	15.66	15.66
10	0.65	2.93	5.07	6.04	7.67	10.44	14.16	15.13	15.66	15.66	15.66
25	0.65	2.92	4.89	6.04	7.67	10.44	13.69	14.7	15.56	15.63	15.63
50	0.65	2.86	4.88	6.03	7.67	10.44	13.66	14.63	15.33	15.39	15.39
100	0.64	2.76	4.74	5.84	7.64	10.24	13.42	14.23	14.89	14.95	14.95
150	0.62	2.68	4.62	5.84	7.56	10.19	13.07	13.87	14.54	14.59	14.59
200	0.6	2.59	4.41	5.8	7.48	10.15	12.57	13.24	13.82	14.25	14.25
300	0.56	2.38	4.13	5.66	7.33	9.9	12.12	13.02	13.52	13.73	13.73
400	0.53	2.33	3.78	5.5	7.19	9.67	11.67	12.47	12.95	13.29	13.29
500	0.5	2.28	3.74	5.48	7.05	9.6	11.46	12.29	12.74	13.02	13.02
1,000	0.44	2.07	3.44	5.08	6.5	8.74	10.42	11.32	11.68	11.96	11.96
2,000	0.38	1.75	2.96	4.45	5.57	7.24	9.1	9.87	10.35	10.57	10.57
5,000	0.28	1.41	2.42	3.55	4.17	5.31	7.03	7.58	8.17	8.4	8.40
10,000	0.24	1.1	1.81	2.71	3.12	4.09	5.51	5.86	6.66	6.86	6.86
20,000	0.18	0.74	1.37	1.64	1.97	2.47	3.44	4.42	5.06	5.22	5.22
50,000	0.08	0.45	0.57	0.67	0.87	1.55	2.42	3.1	3.25	3.49	3.49
100,000	0.05	0.25	0.44	0.64	0.79	1.22	1.67	2.01	2.3	2.37	2.37
126,338	0.04	0.2	0.39	0.55	0.67	1.03	1.38	1.68	1.83	1.88	1.88






Precipitation (inches)





Stations




Old Tyonek, AK, SPAS 1256 Zone 1
September 15, 2012

Storm Name: SPAS 1256 Old Tyonek, AK DAD		Storm Adjustment for Susitna-Watana								
Storm Date: 9/15-22/2012										
AWA Analysis Date: 1/22/2013										
Temporal Transposition Date: 15-Sep										
Storm center location	Lat: 61.26 N Long: 151.86 W	Moisture Inflow Direction: SSW @ 870 miles								
Storm Rep SST location	49.00 N 157.00 W	Basin Elevation: 1,100 feet								
Transposition SST location	NA NA	Storm Elevation: 2,730 feet								
Basin location	42.76 N 74.12 W	Storm Duration: 24 hours								
		Effective Barrier Height: 1,200 feet								
The storm representative SST is 54.0 F		with total precipitable water above sea level of 1.02 inches.								
The in-place maximum SST is 57.0 F		with total precipitable water above sea level of 1.19 inches.								
The transpositioned maximum SST is NA		with total precipitable water above sea level of 4.44 inches.								
The in-place storm elevation is 2,730		which subtracts 0.18 inches of precipitable water at 54.0 F								
The in-place storm elevation is 2,730		which subtracts 0.20 inches of precipitable water at 57.0 F								
The transposition storm elevation at 1,100		which subtracts xx inches of precipitable water at NA								
The moisture inflow barrier height is 1,200		which subtracts xx inches of precipitable water at NA								
The in-place maximization factor is 1.18		Notes: Storm representative SST value was based on SST values for September 13-14, 2012 along the surface HYSPLIT trajectory data. The HYSPLIT trajectory also represents the second period of precipitation fall. Values were selected in region where temperature did not vary more than a 1-degree over a large area and had temperature recordings throughout the period.								
The transposition/elevation factor is #VALUE!										
The barrier adjustment factor is #VALUE!										
The total adjustment factor is #VALUE!										
Observed Storm Depth-Area-Duration										
	1 Hour	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	168 Hours
10 sq miles	0.9	3.2	3.9	6.1	8.3	8.6	9.0	10.0	11.9	15.3
100 sq miles	0.9	2.6	3.6	5.1	7.3	7.4	7.9	9.7	11.5	15.3
200 sq miles	0.8	2.4	3.5	4.5	6.4	6.6	7.5	9.7	11.3	15.0
500 sq miles	0.8	2.3	3.4	4.0	5.2	6.0	7.3	9.4	10.8	14.3
1000 sq miles	0.8	2.1	3.1	3.8	4.8	5.9	7.1	9.1	10.4	13.6
2000 sq miles	0.7	1.8	2.7	3.6	4.6	5.5	6.8	8.6	10.0	12.9
5000 sq miles	0.6	1.6	2.5	3.3	4.0	5.0	6.3	7.7	9.1	11.8
10000 sq miles	0.5	1.4	2.3	3.0	3.7	4.5	5.9	6.8	8.2	10.7
20000 sq miles	0.3	1.1	1.9	2.6	3.2	3.9	5.1	5.8	7.1	9.2
Adjusted Storm Depth-Area-Duration										
	1 Hour	6 Hours	12 Hours	24 Hours	36 Hours	48 Hours	72 Hours	96 Hours	120 Hours	168 Hours
10 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
100 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
200 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
500 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
1000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
2000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
5000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
10000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
20000 sq miles	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Storm or Storm Center Name		SPAS 1256 Old Tyonek, AK DAD Zone 1								
Storm Date(s)		9/15-22/2012								
Storm Type		Atmospheric River								
Storm Location		61.26 N 151.86 W								
Storm Center Elevation		2,730								
Precipitation Total & Duration		15.91 inches in 168 hours								
Storm Representative SST		54.0 F				15-Aug		15-Sep		
Storm Representative SST Location		49.00 N 157.00 W				56.5		57.0		
In-place Maximum SST		57.0 F								
Moisture Inflow Vector		SSW @ 870								
In-place Maximization Factor		1.18								
Temporal Transposition (Date)		15-Sep								
Transposition SST Location		NA NA								
Transposition Maximum SST		NA								
Transposition Adjustment Factor		#VALUE!								
Average Basin Elevation		1,100								
Highest Elevation in Basin		5,333								
Inflow Barrier Height		1,200								
Elevation Adjustment Factor		#VALUE!								
Total Adjustment Factor		#VALUE!								



Area (mi ²)	Duration (hours)											
	1	6	12	24	36	48	72	96	120	144	168	Total
0.2	0.88	3.26	3.98	6.23	8.76	8.86	9.3	10.52	12.34	13.83	15.91	15.91
1	0.86	3.16	3.9	6.06	8.53	8.63	9.06	10.03	11.87	13.27	15.32	15.32
10	0.86	3.16	3.87	6.06	8.31	8.59	9.03	10.03	11.87	13.27	15.32	15.32
25	0.86	3.04	3.72	5.88	8.25	8.36	8.79	10.01	11.86	13.27	15.32	15.32
50	0.86	2.88	3.64	5.63	7.94	8.01	8.42	9.73	11.55	13.27	15.32	15.32
100	0.85	2.58	3.61	5.09	7.34	7.41	7.86	9.66	11.52	13.16	15.25	15.25
150	0.84	2.45	3.57	4.79	6.74	6.78	7.63	9.66	11.49	13.04	15.13	15.13
200	0.83	2.42	3.53	4.49	6.41	6.58	7.5	9.66	11.29	12.92	15	15.00
300	0.81	2.37	3.46	4	5.83	6.44	7.43	9.58	11.13	12.57	14.76	14.76
400	0.77	2.32	3.4	3.98	5.23	6.31	7.36	9.5	10.99	12.33	14.52	14.52
500	0.77	2.29	3.35	3.96	5.21	5.95	7.27	9.43	10.83	12.33	14.34	14.34
1,000	0.75	2.12	3.14	3.8	4.76	5.85	7.05	9.08	10.43	11.77	13.61	13.61
2,000	0.71	1.83	2.73	3.64	4.55	5.5	6.78	8.61	9.95	11.22	12.86	12.86
5,000	0.59	1.57	2.52	3.28	4.03	4.98	6.34	7.66	9.07	10.66	11.83	11.83
10,000	0.46	1.38	2.28	3.03	3.66	4.52	5.91	6.82	8.16	9.77	10.72	10.72
20,000	0.32	1.12	1.91	2.58	3.18	3.9	5.14	5.82	7.07	8.38	9.24	9.24
50,000	0.13	0.72	1.18	1.73	2.27	2.6	3.49	4.02	4.49	5.42	6.24	6.24
100,000	0.08	0.43	0.77	1.08	1.42	1.86	2.17	2.58	2.74	3.47	3.92	3.92
116,206	0	0	0.67	0.94	1.29	1.63	1.94	2.24	2.55	3.04	3.29	3.29





Total 168-hour Storm Precipitation (inches)
Sept. 15, 2012 1000 Z - Sept. 22, 2012 0900 Z
SPAS #1256

Precipitation (inches)



NETS TAT, Inc. 01/22/2013

